

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE

NAVPERS 716 (Rev. 4-56)



DECK LOG BOOK

OF THE

U. S. S. ABBOTTDD 629

IDENTIFICATION NUMBER

COMMANDED BY

Commander W. W. DEVENTER

, U. S. N.

Attached to { ONE HUNDRED TWO Division,
TEN Squadron,
TWO Flotilla,
ATLANTIC Fleet,
Naval District,

Commencing 0001 1 November, 19 57,
(zone time and date)

at East Boston, Mass.,
(location)

and ending 0000 30 November, 19 57,
(zone time and date)

at Newport, Rhode Island,
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

LOG BOOK

CT

1000

1000

1000

CONFIDENTIAL

PAGE _____


NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)FRIDAY 1 NOV, 19 57
(Day) (Date) (Month)


ADDITIONAL REMARKS

00-04 Moored starboard side to pier General Ship and Engine Works Inc., East Boston, Mass. with standard mooring lines. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is CO, USS MACON (CA 132).




R.F. ANDINO
Ens. USNR

04-08 Moored as before. 0720 Brisolara, M. A. FA 476 78 41 was returned to ship by Armed Service Police. 0800 held quarters no absentees.




R.F. ANDINO
Ens USNR

08-12 Moored as before. 0800 Mustered the crew at foul weather parade. Absentees: none. 1000 made daily inspection of magazines and smokeless powder samples, condition normal.




R.H. BORNEMAN
Ens. USNR

12-16 Moored as before. 1500 Set storm condition two (2). Rigged two-inch wire to pier foward and aft, two spring lines at the waist.




W.H. FOOTE
Ens. USNR

16-20 Moored as before.




R.H. BORNEMAN
Ens. USNR

20-24 Moored as before.



R.H. BORNEMAN
Ens. USNR

APPROVED:




W. W. DEVENTER, CDR,

U. S. N

COMMANDING.

EXAMINED:



R.F. ANDINO Ens.

U. S. N. R

NAVIGATOR

PAGE _____

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

CONFIDENTIAL

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

PAGE _____

UNITED STATES SHIP ABBOT (DD629)Saturday 2 November, 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored starboard side to pier at General Ship and Engine Works, Inc., East Boston, Mass., with standard mooring lines plus two-inch wire forward and aft and two (2) spring lines at the waist. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is CO, USS MACON, (CA 132).

*W. H. Foote*W. H. FOOTE
ENS USNR

04-08 Moored as before.

*W. H. Foote*W. H. FOOTE
ENS USNR

08-12 Moored as before. Mustered the crew on station. Absentees: None. Made daily inspection of magazines and smokeless powder samples, conditions normal.

*J. B. Roberts*J. B. ROBERTS
ENS USNR

12-16 Moored as before.

*W. H. Foote*W. H. FOOTE
ENS USNR

16-20 Moored as before.

*W. H. Foote*W. H. FOOTE
ENS USNR

20-24 Moored as before.

*W. H. Foote*W. H. FOOTE
ENS USNR

APPROVED:

W. W. Deventer
W. W. DEVENTER, CDR,

U. S. N.

COMMANDING.

EXAMINED:

R. F. Andino
R. F. ANDINO, ENS,

U. S. N.

R.

NAVIGATOR

PAGE _____

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP _____, 19____
(Day) (Date) (Month)

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION T4 DATE NOV 3 19 57
AT/PASSAGE FROM POST ON GAK ENG WORKS 19425

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	070	1	2	CLD	29.855	55	8	2400	NS				
02	070	1	2	CLD	29.855	55	8	2400	NS				
03	070	1	2	CLD	29.855	55	8	2400	NS				
04	070	1	3	R	29.755	55	10	2400	NS				
05	080	1	3	R	29.755	55	10	2400	NS				
06	080	1	3	R	29.755	54	10	2400	NS				
07	080	1	4	R	29.755	54	10	2400	NS				
08	070	3	5	CLD	29.755	53	10	2400	NS				
09	070	3	5	CLD	29.755	53	10	2400	NS				
10	070	5	5	CLD	29.755	53	10	2400	NS				
11	070	5	8	CLD	29.755	53	10	2400	NS				
12	050	5	8	CLD	29.755	53	10	2400	NS				
13	170	14	5	CLD	29.755	54	10	2400	NS				
14	070	14	5	CLD	29.755	54	10	2400	NS				
15	070	14	5	CLD	29.755	55	10	2400	NS				
16	130	14	5	CLD	29.755	55	10	2400	NS				
17	130	12	5	CLD	29.755	54	10	2400	NS				
18	070	3	5	CLD	29.755	54	10	2400	NS				
19	070	1	4	CLD	29.755	53	10	2400	NS				
20	070	1	4	CLD	29.755	52	10	2400	NS				
21	040	4	4	CLD	29.755	51	10	2400	NS				
22	040	4	4	CLD	29.755	51	10	2400	NS				
23	040	4	4	CLD	29.755	51	10	2400	NS				
24	040	5	4	CLD	29.755	55	8	2400	NS				

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM (LZT)	(Date)
TO (LZT)	(Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM (LZT)	(Date)
TO (LZT)	(Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oct- ant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected (mb)	Amount of Clouds C _L (Coded)	Type C _L (0-9)	Height C _L (Coded)	Type C _M (0-9)
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(True) (00-36)	(True) (Knots)			(90-99)			(00-99)	(0-9)					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM (LZT)	(Date)
TO (LZT)	(Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	C ₂	K	D _l	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

*R. J. Ardino**C. R. R.*

U. S. N. NAVIGATOR

CONFIDENTIAL

PAGE _____


NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET


UNITED STATES SHIP ABBOT (DD 629)Sunday 3 November, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS


00-04 Moored starboard side to pier at General Ship and Engine Works, Inc., East Boston, Mass., with standard mooring lines plus a two-inch wire forward and aft and two spring lines at the waist. Receiving steam, water and electric power from the pier. Ships present include various units of the U.S. Atlantic Fleet plus various yard and district craft. SOPA is CO, U.S.S. MACON (CA132).


J. B. ROBERTS
ENS USNR


04-08 Moored as before.


W. H. FOOTE
ENS USNR


08-12 Moored as before. 0800 Mustered the crew on stations. Absentees: WATERS, K.M., SN, 965 44 29, USN, ~~AWOL~~ since 0730 3 NOV 1957. 1000 Made daily inspection of magazines ^{uf} and smokeless powder samples; conditions normal.


W. H. FOOTE
ENS USNR


12-16 Moored as before.


W. H. FOOTE
ENS USNR

16-20 Moored as before.


J. B. ROBERTS
ENS USNR

20-24 Moored as before.


W. H. FOOTE
ENS USNR


APPROVED:

EXAMINED:


W. W. DEVENTER, CDR,

U. S. N.

COMMANDING.


R. F. ANDINO, ENS,

U. S. N.

R. NAVIGATOR

PAGE _____

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP _____, 19____
(Day) (Date) (Month)

ADDITIONAL REMARKS

APPROVED: _____ EXAMINED: _____

_____, U. S. N. COMMANDING. _____, U. S. N. NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

CONFIDENTIAL

PAGE _____

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)MONDAY4NOV19 57


(Day)

(Date)

(Month)


ADDITIONAL REMARKS

00-04 Moored starboard side to pier General Ship and Engine Works, Inc., East Boston, Mass., with ^{standard mooring lines, plus} wire forward and aft and two spring lines at the waist. Receiving miscellaneous services from the pier. ^{uf}
Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is ^{uf}
CO, USS MACON (CA 132).




W.H. Foote
Ens. USNR

04-08 Moored as before. 0700 COMDESDIV 102 shifted his flag from USS HUNT (DD 674) to ABBOT.




W.H. FOOTE
ENS. USNR

08-12 Moored as before. 0800 Mustered the crew absentees, WATERS, K.M SN, AOL since 0730, 3 NOV 57. Made daily, inspection of magazines and smokeless powder samples, Condition Normal.




R.F. ANDINO
Ens USNR

12-16 Moored as before.




C.W. Morrill
Ens. USNR

16-20 Moored as before.



C.W. Morrill
Ens. USNR


20-24 Moored as before.



C.W. Morrill
Ens. USNR


APPROVED:

EXAMINED:



U. S. N.

COMMANDING.



R.F. ANDINO Ens.

U. S. N. R

NAVIGATOR

PAGE _____

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 854087

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS AGOR (DD-29) ZONE DESCRIPTION 44 9 DATE NOV 5 19 57
AT/PASSAGE FROM BOSTON, MASS TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	093	3	3	ovc	29.55	54	54	5	500	ST	—	—	—
02	093	2	3	ovc	29.55	54	54	5	500	ST	—	—	—
03	093	2	3	ovc	29.55	54	54	5	500	ST	—	—	—
04	093	2	3	ovc	29.55	54	54	5	500	ST	—	—	—
05	170	2	3	ovc	29.55	52	52	5	500	ST	—	—	—
06	170	2	3	ovc	29.55	52	52	5	500	ST	—	—	—
07	170	3	3	ovc	29.55	51	51	5	500	ST	—	—	—
08	170	3	3	ovc	29.55	51	51	5	500	ST	—	—	—
09	170	3	5	ovc	29.55	51	51	5	500	ST	—	—	—
10	170	3	5	ovc	29.55	51	51	5	500	ST	—	—	—
11	170	3	5	ovc	29.55	51	51	5	500	ST	—	—	—
12	170	3	5	ovc	29.55	51	51	5	500	ST	—	—	—
13	170	3	5	ovc	29.55	51	51	5	500	ST	—	—	—
14	170	3	5	ovc	29.55	51	51	5	500	ST	—	—	—
15	170	3	5	ovc	29.55	51	51	5	500	ST	—	—	—
16	173	3	6	ovc	29.55	58	58	5	500	ST	—	—	—
17	173	5	6	ovc	29.55	48	48	5	500	ST	—	—	—
18	175	5	6	ovc	29.55	48	48	5	500	ST	—	—	—
19	175	5	6	ovc	29.55	48	48	5	500	ST	—	—	—
20	175	5	6	ovc	29.55	47	47	5	500	ST	—	—	—
21	175	5	6	ovc	29.55	46	46	5	500	ST	—	—	—
22	175	5	6	ovc	29.55	45	45	5	500	ST	—	—	—
23	175	6	6	ovc	29.55	45	45	5	500	ST	—	—	—
24	175	6	6	ovc	29.55	45	45	5	500	ST	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Occ- tant	Latitude	Longitude			Present	Past		Baro- meter Cor- rected (mb)	Amount of C _L Clouds (Coded)	Type C _L (0-9)		Height C _L Clouds (Coded)	Type C _M (0-9)	Type C _H (0-9)		
	(1-7) (GCT)	(0-3, 5-8) and tenths	(Degrees and tenths)	GCT	(Coded)	(True) (00-36)			(True) (Knots)				(90-99)				(00-99)	(0-9)
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	C ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

R. J. Cardano ans

U. S. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)TUESDAY 5 NOV, 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored starboard side to pier General Ship and Engine Works, Inc., East Boston, Mass. using six standard destroyer mooring lines plus a two-inch wire forward and one Aft in the waist serving as two spring lines. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet, yard and district craft. SOPA is Commanding Officer, USS MACON (CA 132).

C. W. Morrill 35
C.W. MORRILL
Ens. USNR

04-08 Moored as before.

C. W. Morrill 35
C.W. MORRILL
Ens. USNR

08-12 Moored as before. 0800 Mustered the crew at quarters absentees was WATERS, K.M. 965 44 29 SN, USN, AOL since 0730, 3 NOV 57. Made daily inspection of magazines and smokless powder samples conditions normal.

J. P. Burke
J.P. BURKE
LTJG USNR

12-16 Moored as before.

J. P. Burke
J.P. BURKE
LTJG USNR

16-20 Moored as before.

J. P. Burke
J.P. BURKE
LTJG USNR

20-24 Moored as before.

J. P. Burke
J.P. BURKE
LTJG USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR,

U. S. N.

COMMANDING.

R. F. Andino
R. F. ANDINO Ens.

U. S. N. R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ADPOT (DD 624) ZONE DESCRIPTION _____ DATE NOV 6 19 57
AT/PASSAGE FROM EAST BOSTON TO MASS

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	090	2	2	OVC	29.70	47	45	10	6500	AS	—	—	—
02	090	3	2	OVC	29.90	50	45	10	6500	AS	—	—	—
03	190	3	2	OVC	29.91	49	45	10	6500	AS	—	—	—
04	090	3	2	OVC	29.92	48	45	10	6500	AS	—	—	—
05	145	4	2	OVC	29.92	46	44	10	6500	AS	—	—	—
06	145	4	5	OVC	29.96	46	44	10	6500	AS	—	—	—
07	045	14	9	CLR	29.97	45	44	—	—	—	—	—	—
08	045	14	18	CLR	29.86	45	44	—	—	—	—	—	—
09	045	14	18	CLR	29.96	45	44	—	—	—	—	—	—
10	045	14	18	CLR	29.77	45	44	—	—	—	—	—	—
11	045	14	18	CLR	29.77	44	44	—	—	—	—	—	—
12	045	3	18	CLR	29.76	54	44	—	—	—	—	—	—
13	045	3	18	CLR	29.74	54	44	—	—	—	—	—	—
14	045	3	18	CLR	29.73	54	45	—	—	—	—	—	—
15	045	3	18	CLR	29.92	44	44	—	—	—	—	—	—
16	045	3	18	CLR	30.00	44	44	—	—	—	—	—	—
17	045	3	15	CLR	30.02	44	44	—	—	—	—	—	—
18	045	2	15	CLR	30.05	44	44	—	—	—	—	—	—
19	180	1	15	CLR	30.05	44	44	—	—	—	—	—	—
20	180	2	15	CLR	30.04	44	44	—	—	—	—	—	—
21	180	3	15	CLR	30.04	44	44	—	—	—	—	—	—
22	180	4	15	CLR	30.04	44	44	—	—	—	—	—	—
23	180	6	14	CLR	30.04	44	44	—	—	—	—	—	—
24	180	6	14	CLR	30.04	44	44	—	—	—	—	—	—

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS							
		Oc- tant	Latitude	Longitude			GCT	Direction		Speed	Present	Past		Baro- meter Cor- rected (mb)	Amount of Clouds L (Coded)	Type C (0-9)	Height C _L Clouds L (Coded)	Type C M (0-9)	Type C H (0-9)		
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(True)	(True)			(00-99)				(00-99)							(0-9)	(°F)
	1	2	3	4	5	6			7				8							9	10
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H			

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

EXAMINED

R. J. Ardino Cms

U. S. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)WED.
(Day)6
(Date)NOV
(Month)19 57

ADDITIONAL REMARKS

00-04 Moored starboard side to the dock at GENERAL SHIP AND ENGINE WORKS, EAST BOSTON, MASS., with standard lines and a 2" wire out forward and aft. Receiving standard services from the pier. Ships present include units of the U.S. Atlantic Fleet and various yard and District Craft. SOPA is CO, USS MAON (CA 132).

J.P. Burke
J.P. BURKE
LTJG USNR

04-08 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: Waters, K.M., SN, AOL since 0730, 3 NOV 57. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions, normal

Currinill 35
C.W. MORRILL
Ens. USNR

12-16 Moored as before.

R.F. Andino
R.F. ANDINO
Ens. USNR

16-20 Moored as before.

R.F. Andino
R.F. ANDINO
Ens. USNR

20-24 Moored as before.

R.F. Andino
R.F. ANDINO
Ens. USNR

APPROVED:

EXAMINED:

W.W. Deventer
W. W. DEVENTER, CDR,

U.S.N.

COMMANDING.

R.F. Andino
R.F. ANDINO Ens.

U.S.N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

6 miles

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

RESTRICTED

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ARBOOT DD-627 ZONE DESCRIPTION T4 DATE 7 NOV 1957
AT/PASSAGE FROM EAST BOSTON MASS TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	180	6	14	CLR	30.04	44.37							
02	180	6	14	CLR	30.04	44.38							
03	180	6	14	CLR	30.04	42.39							
04	180	6	14	CLR	30.04	42.37							
05	180	6	14	CLR	30.08	44.37							
06	180	6	14	CLR	30.10	44.37							
07	180	6	14	CLR	30.10	44.37							
08	180	6	14	CLR	30.12	46.43							
09	170	6	14	CLR	30.12	51.49							
10	170	6	14	CLR	30.12	54.53							
11	170	6	14	CLR	30.12	58.57							
12	170	6	14	CLR	30.10	53.63							
13	180	6	14	CLR	30.08	64.63							
14	180	6	14	CLR	30.08	63.63							
15	180	6	14	CLR	30.08	63.63							
16	180	6	17	CLR	30.01	60.61							
17	180	6	14	CLR	30.12	54.37							
18	180	5	3	OVC	30.12	57.57	10	65	65	AS			
19	180	6	3	OVC	30.13	58.58	10	65	65	AS			
20	180	4	3	OVC	30.15	55.55	10	65	65	AS			
21	180	6	3	OVC	30.16	54.53	10	65	65	AS			
22	180	6	2	OVC	30.18	52.51	10	65	65	AS			
23	180	3	3	OVC	30.19	51.51	10	65	65	AS			
24	180	3	3	CLR	30.18	50.50							

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (LZT) (Date)

TO (LZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (LZT) (Date)

TO (LZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GCT	Total Cloud Amt (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp (°F)	CLOUDS					
		Occ- tant (1-7) (GCT)	Latitude (0-3, 5-8) (Degrees and tenths)	Longitude (Degrees and tenths)			Direction (True) (00-36)	Speed (True) (Knots)		Present (00-99)	Past (0-9)			Amount of Clouds C _L (0-9)	Type C _L (0-9)	Height C _L (0-9)	Type C _M (0-9)	Type C _H (0-9)	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
		Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA

FROM (LZT) (Date)

TO (LZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
Characteristics (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height	Indicator	Direction (00-36)	Period	Height				Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation				
20 D _s	21 v _s	22 a	23 pp	24 8	25 N _s	26 C	27 h _s h _s	28 0	29 T _s T _s	30 T _d T _d	31 1	32 d _w d _w	33 P _w	34 H _w	35 1	36 d _w d _w	37 P _w	38 H _w	39 c ₂	40 K	41 D _I	42 r	43 e		
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. J. Andino

Ans

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)

Thursday 7 NOV, 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored starboard side to pier General Ship and Engine Works Inc. East Boston Mass., using standard mooring lines plus a two inch wire forward and aft an lings numbers one (1) and six (6) plus a waist line. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet, plus yard and district craft. SOPA is CO, USS MACON (CA 132).

R.F. Andino
R.F. ANDINO
Ens. USNR

04-08 Moored as before.

R.F. Andino
R.F. ANDINO
Ens. USNR

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: WATERS, K.M. 965 44 29, SN USN, AOL since 0730, 3 NOV. 57. 1000 Made daily inspection of magazines and smokeless powder samples: conditions normal.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

12-16 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

16-20 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

20-24 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U.S.N.

COMMANDING.

R.F. Andino
R.F. ANDINO

Ens.

U.S.N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

NAME OF SHIP
APPROVED

NAME OF SHIP
APPROVED

NAME OF SHIP
APPROVED

NAME OF SHIP
APPROVED

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

RESTRICTED

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DDG-9) ZONE DESCRIPTION +4 DATE 8 NOV 1957 19
AT/PASSAGE FROM EAST BOSTON, MASS. TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	125	5	14	CLR	30.17	48							
02	140	2	14	CLR	30.14	48							
03	130	3	14	CLR	30.17	48							
04	170	3	14	CLR	30.14	47							
05	170	3	14	CLR	30.14	47							
06	170	3	14	CLR	30.17	48							
07	170	3	14	CLR	30.18	48							
08	070	3	6	OVC	30.20	50	10	65	00	AC			
09	090	3	6	OVC	30.20	51	10	65	00	AC			
10	150	3	6	OVC	30.21	55	10	65	00	AC			
11	180	3	6	OVC	30.41	55	10	65	00	AC			
12	180	3	6	OVC	30.14	50	10	65	00	AC			
13	180	3	6	OVC	30.14	57	10	65	00				
14	180	3	6	OVC	30.14	57	10	65	00				
15	180	3	6	OVC	30.14	57	10	65	00				
16	180	10	6	OVC	30.10	62	10	65	00				
17	180	12	5	OVC	29.97	62	10	65	00				
18	180	12	5	OVC	29.96	61	10	65	00				
19	180	14	4	OVC	29.92	61	10	65	00				
20	180	13	6	SCT	29.90	64	8	20	00				
21	180	16	6	SVC	29.88	64	8	30	00				
22	180	15	5	RAIN	29.88	64	10						
23	180	17	5	RAIN	29.88	64	10						
24	180	15	5	RAIN	29.72	64	10						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Occur- tant	Latitude	Longitude			Present	Past		Baro- meter Cor- rected (mb)	Amount of Clouds C _L (Code)	Type C _L (0-9)		Height C _L (Feet)	Type C _M (0-9)	Type C _H (0-9)		
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(True) (00-36)	(True) (Knots)			(90-99)				(00-99)				(0-9)	(°F)
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. J. Anderson

Em

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)FRIDAY 8 NOV, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored starboard side to pier General Ship and Engine Works, East Boston, Mass., using standard mooring lines plus a two inch wire forward and aft on lines one (1) and six (6), plus a waist line. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is CO, USS MACON (CA 132).

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

04-08 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: WATERS, K.M. 965 44 29, SN USN, AOL since 0730, 3 NOV 57. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions Normal. Made weekly inspection of groups one and two of magazine sprinkler system. Test satisfactory.

C.W. Morrill 3'
C.W. MORRILL
Ens. USNR

12-16 Moored as before. 1300 Made weekly inspection of groups three, four, and five of magazine sprinkler systems. Test satisfactory.

J.B. Roberts
J.B. ROBERTS
Ens. USNR

16-20 Moored as before.

J.B. Roberts
J.B. ROBERTS
Ens. USNR

20-24 Moored as before.

J.B. Roberts
J.B. ROBERTS
Ens. USNR

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U.S.N.

COMMANDING.

R.F. Andino
R.F. ANDINO

U.S.NR

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

RESTRICTED

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)SATURDAY
(Day)9
(Date)NOV
(Month)

19 57

ADDITIONAL REMARKS

00-04 Moored stbd. side to the dock at the General Ship and Engine Works, East Boston, Mass. using standard lines with a two inch wire out forward and aft. Receiving standard services from the pier. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is Commanding Officer, USS ~~AMCON~~ (CA 132).
MACON

J.P. Burke
J.P. BURKE
LTJG USNR

04-08 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

08-12 Moored as before. 0800 Mustered the crew on stations, one (1) unauthorized absentee: WATERS, K.M. 965 44 29 SN, USN, AOL since 0730 3 NOV 57. 1100 Made daily inspection of all Magazines and smokeless powder samples conditions normal. Made weekly test of magazine sprinklers system, groups 3, 4 and 5. Test satisfactory.

J.P. Burke
J.P. BURKE
LTJG USNR

12-16 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

16-20 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

20-24 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U.S. N.

COMMANDING.

R.F. Andino
R.F. ANDINO

Ens.

U.S. NR

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

RESTRICTED

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)SUNDAY
(Day)10
(Date)NOV
(Month)19 57

ADDITIONAL REMARKS

00-04 Moored starboard side to the dock at the General Ship and Engine Works, East Boston, Mass., using standard lines plus two inch wires out forward and aft. Receiving Miscellaneous services from the dock. Ships present include units of the U.S. Atlantic Fleet plus various yard and district craft. SOPA is Commanding Officer, USS MACON (CA 132).

J.P. Burke
J.P. BURKE
LTJG USNR

04-08 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

08-12 Moored as before. 0800 Mustered the crew on stations, unauthorized absentee: WATERS, K.M. 965 44 27, SN, USN AIL since 0730, 3 NOV 57. 1000 Made daily inspection of Magazines and smokeless powder samples.

J.P. Burke
J.P. BURKE
LTJG USNR

12-16 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

16-20 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

20-24 Moored as before.

J.P. Burke
J.P. BURKE
LTJG USNR

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U.S.N.

COMMANDING.

R.F. Andino
R.F. ANDINO

Ens.

U.S.N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

_____, U. S. N., COMMANDING.

_____, U. S. N., NAVIGATOR.

RESTRICTED

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD 629)

MONDAY 11 NOV, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored starboard side to pier at General Ship and Engine Works, East Boston, Mass., using standard lines plus a two (2) inch wire forward and aft. Receiving miscellaneous services from the pier. Ships present include a various units of the U.S. Atlantic Fleet plus various yard and district craft. SOPA is CO, OF USS MACON(CA 132).

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

04-08 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

08-12 Moored as before. 0800 Mustered the crew on stations. Absentees: WATERS, K.N. 965 44 29, SN USN, AOL since 0730, 3 NOV 57. 1000 Conducted daily inspection of magazines and smokeless powder samples; conditions normal.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

12-16 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

16-20 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

20-24 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U. S. N.

COMMANDING.

R.F. Andino
R.F. ANDINO

Ens.

U. S. N. R.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY
NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5N DATE 12 Nov 19 1957
AT/PASSAGE FROM EAST DOSTON MASS. TO NEWPORT RI.

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	180	5	14	CLR	30.58	36							
02	180	5	14	CLR	30.44	40	40						
03	180	5	14	CLR	30.44	40	40						
04	180	5	14	CLR	30.54	41	40						
05	180	4	14	CLR	30.56	40	36						
06	180	7	14	CLR	30.58	40	38						
07	180	7	14	CLR	30.69	42	41						
08	180	7	14	CLR	30.80	43	42						
09	180	7	14	CLR	30.54	49	48						
10	270	5	14	CLR	30.54	61	60						
11	270	5	14	CLR	30.64	60	59						
12	270	5	14	CLR	30.68	60	59						
13	250	5	15	CLR	30.44	59	58						
14	250	5	15	CLR	30.46	59	58						
15	045	5	15	CLR	30.46	60	56						
16	045	6	15	CLR	30.46	60	56						
17	120	6	15	CLR	30.40	48	46						
18	100	5	15	CLR	30.50	43	42						
19	100	3	15	CLR	30.54	43	42						
20	100	3	15	CLR	30.54	47	42						
21	120	3	15	CLR	30.54	48	48						
22	120	4	15	CLR	30.54	49	48						
23	120	4	15	CLR	30.54	49	49						
24	120	4	15	CLR	30.54	50	49						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GCT	Total Cloud Amt (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp (°F)	CLOUDS					
		Oc- tant (1-7) (GCT)	Latitude (0-3, 5-8) (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (True) (00-36)	Speed (True) (Knots)		Present	Past			Amount of Clouds L (Coded)	Type C (0-9)	Height C Clouds L (Coded)	Type C M (0-9)	Type C H (0-9)	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
		Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. J. Anderson Enr

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Tuesday 12 NOV 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored starboard side to pier at General Ship and Engines Works, East Boston, Mass. using standard mooring lines plus a two (2) inch wire forward and aft. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is CO of USS MACON (CA132)

R. H. Borneman
R. H. BORNEMAN
ENS USNR

04-08 Moored as before.

R. H. Borneman
R. H. BORNEMAN
ENS USNR

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: WATERS, K.M., 965 44 29, SN, USN, AOL since 0730, 3 NOV 57. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 1140 Set special sea detail. Mustered the crew on stations; Absentees WATERS, K.M. 965 44 29, SN, USN, AOL since 0730, 3 NOV 57. 1150 Shifted from shore power to ships service generators.

J. P. Burke
J. P. BURKE
LTJG USNR

12-16 Moored as before. 1200 Completed preparations for getting underway: draft forward 13 ft. 6 in aft 14 ft. 1205 Pilot Mr. Tweakoman came aboard. 1210 Underway independently for Nantasket Roads anchorage, in accordance with telephone call to operations office, Boston Naval Shipyard. Maneuvering to clear the dock. 1214 Steering various courses at various speeds to conform with channel leaving Boston Harbor. 1217 Pilot left the ship. 1234 Passed buoy #1 abeam to starboard. 1234 Passed buoy #11 abeam to starboard and entered the Narrows. 1249 Passed buoy #5 abeam to starboard. 1259 Anchored in Nantasket Roads, Mass., in 7 fathoms of water, hard bottom, on the following bearings: Boston Lighthouse 060, Nantasket Hill Tower 090, Long Island Head Light 328, Quincy Hill Tank 198. 1340 Tug with ammunition barge came alongside to starboard. Commenced loading ammunition. 1352 Ammunition transfer completed: tug and barge left the ship. Set the special sea detail. 1402 Underway for Newport, R.I. Steering various courses at various speeds while proceeding out Nantasket Roads. 1416 Passed Boston Lighthouse abeam to port. 1438 Passed Boston Lightship abeam to port. Set course 080, speed 21 knots. 1510 c/c to 090. 1514 c/c to 095. 1527 c/c to 080. 1530 Set General Quarters for gun firing exercise; set material condition ABLE. 1550 Commenced gunfiring exercise; steering various courses at various speeds. 1642 Set material condition BAKER. 1644 Exercise completed; secured from General Quarters. c/c to 156, speed 15 knots.

J. S. Thurneyssen
J. S. THURNEYSEN
ENS USN

16-20 Steaming as before.

J. J. Flynn
J. J. FLYNN
ENS USNR

20-24 Steaming as before. 2000 c/s to 16 knots. 2255 c/c to 215.

K. G. S. Rider
K. G. S. RIDER
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR

U. S. N.

COMMANDING.

R. F. Andino
R. F. ANDINO, ENS

U. S. N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABDOT (DD-629) ZONE DESCRIPTION _____ DATE NOV 17 19 57
AT/PASSAGE FROM BOSTON MASS TO NEWPORT RI

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	270	4	15	CLR	30.54	55	50	—	—	—	60	270	2
02	270	4	15	CLR	30.52	52	51	—	—	—	60	270	1
03	270	4	15	CLR	30.51	52	51	—	—	—	60	270	1
04	270	4	15	CLR	30.51	52	51	—	—	—	60	275	1
05	275	3	15	CLR	30.52	53	52	—	—	—	60	275	1
06	275	3	15	CLR	30.54	53	51	—	—	—	60	270	1
07	270	3	15	CLR	30.55	54	53	—	—	—	60	270	1
08	270	3	15	CLR	30.60	54	53	—	—	—	60	270	1
09	275	3	15	CLR	30.60	54	53	—	—	—	—	—	—
10	070	4	15	CLR	30.60	54	57	—	—	—	—	—	—
11	070	4	15	CLR	30.54	56	56	—	—	—	—	—	—
12	090	4	15	CLR	30.54	56	56	—	—	—	—	—	—
13	270	7	8	ONC	30.52	55	54	10	1500	ST	—	—	—
14	270	12	18	CH	30.52	56	55	—	—	—	—	—	—
15	270	12	17	CH	30.50	55	54	—	—	—	—	—	—
16	270	10	16	CH	30.60	55	54	—	—	—	—	—	—
17	260	10	15	CH	30.46	55	55	—	—	—	—	—	—
18	270	7	16	CH	30.47	55	54	—	—	—	—	—	—
19	250	10	15	CH	30.49	55	54	—	—	—	—	—	—
20	250	6	15	CH	30.47	54	53	—	—	—	—	—	—
21	250	6	15	CH	30.49	53	53	—	—	—	—	—	—
22	250	6	15	CH	30.46	54	53	—	—	—	—	—	—
23	250	6	15	CH	30.46	53	53	—	—	—	—	—	—
24	230	5	15	CH	30.44	53	52	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L	In port	BY
λ		BY
1200		
L	In port	BY
λ		BY
2000		
L	41° 39.5	BY 1930
λ	69° 23.5	BY 1930

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM	(LZT)	(Date)
TO	(LZT)	(Date)
SET		
DRIFT	In port	
POSITION BETWEEN FIXES		
MID. L		
MID. λ		

CURRENT DATA

FROM	(LZT)	(Date)
TO	(LZT)	(Date)
SET		
DRIFT	In port	
POSITION BETWEEN FIXES		
MID. L		
MID. λ		

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week		POSITION OF SHIP			TIME GCT	Total Cloud Amt (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE	Air Temp (°F)	CLOUDS				
			Oc- tant (1-7) (GCT)	Latitude (0-3, 5-8) (Degrees and tenths)	Longitude (Degrees and tenths)			Direction (00-36) (True)	Speed (Knots) (True)		Present (00-99)	Past (0-9)	Baro- meter Cor- rected (mb)		Amount of C _L Clouds (Coded)	Type C _L (0-9)	Height C _L Clouds (Coded)	Type C _M (0-9)	Type C _H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H	

CURRENT DATA

FROM	(LZT)	(Date)
TO	(LZT)	(Date)
SET		
DRIFT	In port	
POSITION BETWEEN FIXES		
MID. L		
MID. λ		

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	C ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

183

FUEL CONSUMED
0000-2400

117 58

EXAMINED

R. J. Ardino

CME

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD 629)Wednesday 13 November, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Steaming independently enroute from Boston, Mass., to Newport, R.I., on course 215, speed 16 knots. Material Condition Baker and condition of readiness 4 set. 0113 c/c to 294. 0123 c/s to 18 knots. 0125 Passed Nantucket shoals Lightship abeam to starboard. 0256 Passed buoy 4DS abeam to starboard; c/c to 296. 0300 c/s to 19 knots.

J. S. Thurneysen
J. S. THURNEYSEN
ENS USN

04-08 Steaming as before. 0634 Commenced test firing 3" mounts, expending 20 rounds. 0639 Ceased firing, c/c to 335 T c/s to 25 Knots.

C. D. Melton
C. D. MELTON
LTJG USN

08-12 0725 c/c to 000 T. 0728 c/s to 20 knots. 0730 c/c to 255 T. 0732 c/s to 15 knots. 0734 c/s to 10 knots. 0737 c/c to 010 T. 0741 Brenton Reef Lightship abeam to port approx. 100 yards. Steering various courses and speeds to make Pier #1, Newport, Rhode Island. 0910 Moored port side to U.S.S. REMEY (DD 686) with standard mooring lines in a nest of six ships in Berth #146 at Pier #1, Newport, R.I. From port to starboard, ships are U.S.S. HYMAN (DD734); U.S.S. BEATTY (DD756); U.S.S. BRISTOL (DD 857); U.S.S. PURDY (DD734); REMEY (DD686) and ABBOT. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA in COMDESLANT in U.S.S. YOSEMITE (AD 19). 0920 Mustered the crew at quarters. Absentees: WATERS, Kenneth, M., 965 44 29, SN, USN, AOL since 0730, 3 NOV 1957. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal.

R. H. Borneman
R. H. BORNEMAN
ENS USNR

12-16 Moored as before.

W. H. Foote
W. H. FOOTE
ENS USNR

16-20 Moored as before. 1650 In accordance with BUPERS B 1123b, 4 OCT 57, ENS. Joseph F. SKOWRONEK, Jr., 622629, reported on board for duty. 1720 Pursuant to orders of the Commanding Officer, PERKINS, L.L., 289 07 16, RD3, USN in charge of one man, left the ship to report to Senior Shore Patrol Officer, Newport, R.I., for TAD.

W. H. Foote
W. H. FOOTE
ENS USNR

20-24 Moored as before.

W. H. Foote
W. H. FOOTE
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR, U. S. N. COMMANDING.

R. F. Andino
R. F. ANDINO, ENS, U. S. N. R. NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

19____

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

DEPT. LOG-WEATHER OBSERVATION SHEET

UNIT: 100th AIRBORNE DIVISION
LOCATION: 100th AIRBORNE DIVISION
DATE: 10/1/54
TIME: 1000

TIME	TEMP	WIND	WV	CLD	VIS	MOON	BAR	REL	DEW	WIND	WV	CLD	VIS	MOON	BAR	REL	DEW
0000	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0100	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0200	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0300	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0400	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0500	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0600	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0700	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0800	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
0900	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1000	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1100	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1200	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1300	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1400	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1500	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1600	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1700	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1800	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
1900	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
2000	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
2100	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
2200	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55
2300	55	10	0	0	10		30.0	0	55	10	0	0	10		30.0	0	55

SYNOPSIS OF OBSERVATIONS

TIME	TEMP	WIND	WV	CLD	VIS	MOON	BAR	REL	DEW
0000	55	10	0	0	10		30.0	0	55
0100	55	10	0	0	10		30.0	0	55
0200	55	10	0	0	10		30.0	0	55
0300	55	10	0	0	10		30.0	0	55
0400	55	10	0	0	10		30.0	0	55
0500	55	10	0	0	10		30.0	0	55
0600	55	10	0	0	10		30.0	0	55
0700	55	10	0	0	10		30.0	0	55
0800	55	10	0	0	10		30.0	0	55
0900	55	10	0	0	10		30.0	0	55
1000	55	10	0	0	10		30.0	0	55
1100	55	10	0	0	10		30.0	0	55
1200	55	10	0	0	10		30.0	0	55
1300	55	10	0	0	10		30.0	0	55
1400	55	10	0	0	10		30.0	0	55
1500	55	10	0	0	10		30.0	0	55
1600	55	10	0	0	10		30.0	0	55
1700	55	10	0	0	10		30.0	0	55
1800	55	10	0	0	10		30.0	0	55
1900	55	10	0	0	10		30.0	0	55
2000	55	10	0	0	10		30.0	0	55
2100	55	10	0	0	10		30.0	0	55
2200	55	10	0	0	10		30.0	0	55
2300	55	10	0	0	10		30.0	0	55

5000-2400

TIME	TEMP	WIND	WV	CLD	VIS	MOON	BAR	REL	DEW
0000	55	10	0	0	10		30.0	0	55
0100	55	10	0	0	10		30.0	0	55
0200	55	10	0	0	10		30.0	0	55
0300	55	10	0	0	10		30.0	0	55
0400	55	10	0	0	10		30.0	0	55
0500	55	10	0	0	10		30.0	0	55
0600	55	10	0	0	10		30.0	0	55
0700	55	10	0	0	10		30.0	0	55
0800	55	10	0	0	10		30.0	0	55
0900	55	10	0	0	10		30.0	0	55
1000	55	10	0	0	10		30.0	0	55
1100	55	10	0	0	10		30.0	0	55
1200	55	10	0	0	10		30.0	0	55
1300	55	10	0	0	10		30.0	0	55
1400	55	10	0	0	10		30.0	0	55
1500	55	10	0	0	10		30.0	0	55
1600	55	10	0	0	10		30.0	0	55
1700	55	10	0	0	10		30.0	0	55
1800	55	10	0	0	10		30.0	0	55
1900	55	10	0	0	10		30.0	0	55
2000	55	10	0	0	10		30.0	0	55
2100	55	10	0	0	10		30.0	0	55
2200	55	10	0	0	10		30.0	0	55
2300	55	10	0	0	10		30.0	0	55

1000-2400

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD629)THURSDAY 14 NOV 1958
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to USS REMEY (DD688) with standard mooring lines, plus ^{9h} 8 inch line from the bow to the pier, in a nest of six ships in Berth # 146 at Pier #1, NPT. From port to starboard, ships are USS HYMAN (DD732), USS BEATTY (DD756), USS BRISTOL (DD857), USS PURDY (DD734), REMEY, and ABBOT. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). 0225 The Shore Patrol detail with PERKINS, L.L. 289 0716, RD3, USN, in charge returned to the ship, having completed TAD.

W. H. Foote
W. H. FOOTE
ENS USNR

04-08 Moored as before.

W. H. Foote
W. H. FOOTE
ENS USNR

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: WATERS, K. M., SN, 965 44 29, USN AOL since 3 NOV 57. 0910 Breasted out from the nest to allow USS REMEY (DD688) to get underway. 0920 Moored ~~out~~ port side to USS PURDY (DD734) with standard mooring lines plus an 8 inch line to the pier forward in berth #145 at Pier #1, Newport R.I. in a nest of 5 ships. From the pier outboard ships are USS HYMAN (DD732), USS BEATTY (DD756), USS BRISTOL (DD857), USS PURDY (DD734), and USS ABBOT (DD629). 0930 Fuel barge YO 177 came alongside. 0940 Commenced refueling. 1000 Made daily inspection of magazines and smokless powder samples. Conditions normal. 1055 Completed refueling. Received 24,567 gallons aft.

J. B. Roberts
J. B. ROBERTS
ENS USNR

12-16 Moored as before. 1250 CAPT. R. R. McMAHON, USN, COMDESRON 10, came on board to return the official call of COMDESDIV 102.

W. H. Foote
W. H. FOOTE
ENS USNR

16-20 Moored as before. 1645 Pursuant to orders of the Commanding Officer, LAWSON, C.A., FT3 471 17 91, USN in charge of one man left the ship to report to Senior Shore Patrol Officer, Newport, R.I. for TAD.

W. H. Foote
W. H. FOOTE
ENS USNR

20-24 Moored as before. 2230 Set storm condition (3) three.

W. H. Foote
W. H. FOOTE
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR, U.S.N.

COMMANDING.

R. F. Andino
R. F. ANDINO, ENS,

U.S.N.R. NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)FRIDAY 15 NOV 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to USS PURDY (DD734) with standard mooring lines, plus an 8 inch line to the pier forward, in a nest of five ships in berth # 145 at Pier #1, Newport, R.I. From port to starboard ships are USS HYMAN (DD732), USS BEATTY (DD756), USS BRISTOL (DD857), PURDY and ABBOT. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). Storm condition three (3) in effect. 0015 The Shore Patrol detail with LAWSON, C.A., FT3, 411 17 91, USN in charge returned to the ship having completed TAD.

W. H. Foote
W. H. FOOTE
ENS USNR

04-08 Moored as before. 0500 Set storm condition two(2).

W. H. Foote
W. H. FOOTE
ENS USNR

08-12 Moored as before. 0800 Mustered the crew at quarters, absentees: WATERS, K.M. SN, 965 44 29 USN, AOL since 3 NOV 57, ANDREW, F.J. SO3, 444 40 89, USN, POWERS, CW, SOSN, 487 57 92, USN, HOFFMAN, R.D., FN, 434 43 07, USNR, WHITAKER, M.R., 965 57 21, USN, AOL since 0730, 15 NOV 57. 0917 YO 199 moored to starboard side to refuel USS BEATTY (DD756). 0930 POWERS, C.W., SOSN, and ANDREW, F.J. SO3 returned to the ship having been AOL since 0730, 15 NOV 57. Storm condition three (3) cancelled 1153 YO 199 underway from starboard side.

J. P. Burke
J. P. BURKE
LTJG USNR

12-16 Moored as before. 1300 Commenced preparations for getting underway. 1320 Stationed the Special Sea Detail. 1320 Stationed the Special Sea Detail. 1345 Completed preparations for getting underway to clear the nest, allowed repairs to be made on inboard ship. Laid to in bay until 1505. 1514 Secured Sea Detail after mooring, as before in berth #145 at Pier #1. Moored port side to USS PURDY (DD734) with standard mooring lines, plus an 8 inch line to the pier forward, in a nest of five ships in berth #145 at Pier #1, Newport, R.I. From port to starboard ships are USS HYMAN (DD732), USS BEATTY (DD 756), USS BRISTOL (DD857), PURDY and ABBOT.

J. F. Showe
JOSEPH SHOWEONAK
ENS USNR

16-20 Moored as before,

J. P. Burke
J. P. BURKE
LTJG USNR

20-24 Moored as before.

J. P. Burke
J. P. BURKE
LTJG USNR

APPROVED:

EXAMINED:

W. W. DEVENTER CDR

U. S. N.

COMMANDING.

R. F. ANDINO

ENS

U. S. N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP

_____, 19____
(Day) (Date) (Month)

ADDITIONAL REMARKS

APPROVED:

EXAMINED: _____

U. S. N.

COMMANDING

U S N

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBT DD-629 ZONE DESCRIPTION +5 DATE 16 Nov 19 57
AT/PASSAGE FROM NEWPORT, R.I. TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	180	12	2	R	29.96	56.56							
02	180	12	2	CLR	29.96	60.59							
03	225	10	2	CLR	29.94	63.61							
04	225	5	2	CLR	29.94	65.63							
05	200	5	2	CLR	29.94	63.60							
06	180	4	2	CLR	29.96	62.59							
07	090	3	4	CLR	29.99	62.60							
08	090	3	5	CLR	30.00	64.64							
09	090	6	5	CLR	30.04	62.56							
10	090	10	5	CLR	30.00	60.55							
11	090	14	5	CLR	30.04	60.55							
12	090	14	20	CLR	30.04	61.55							
13	090	14	20	CLR	30.04								
14	090	14	24	CLR	30.06	61.53							
15	090	14	24	CLR	30.08	61.55							
16	270	15	12	CLR	30.11	64.53							
17	270	14	9	CLR	30.14	64.53							
18	250	14	13	CLR	30.14	64.54							
19	250	8	13	CLR	30.14	56.51							
20	251	8	13	CLR	30.18	54.54							
21	255	8	13	CLR	30.18	54.51							
22	255	8	4	CLR	30.18	52.44							
23	255	7	4	CLR	30.24	51.48							
24	255	7	4	CLR	30.24	51.48							

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GCT	Total Cloud Amt (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp (°F)	CLOUDS				
		Oc- tant (1-7) (GCT)	Latitude (0-3, 5-8) (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (True) (00-36)	Speed (True) (Knots)		Present	Past			Amount of C _L Clouds (0-9)	Type C _L (0-9)	Height C _L (0-9) (Coded)	Type C _M (0-9)	Type C _H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

R. J. AndinoCons

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)SATURDAY 16 NOV, 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to in a nest of five ships at Pier #1 in Berth 145 at Newport, R.I. using standard mooring lines. Ships in the nest from port to starboard are USS HYMAN (DD732), USS BEATTY (DD756), USS BRISTOL (DD857), USS PURDY (DD734), and ABBOT. Ships present include units of the U.S. Atlantic Fleet plus various yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AB19).

J. P. Burke
J. P. BURKE
LTJG USNR

04-08 Moored as before.

J. P. Burke
J. P. BURKE
LTJG USNR

08-12 Moored as before. 0800 Relieved of ASW ready duty by USS HUGH PURVIS (DD709). Mustered the crew at quarters. Absentees: WATERS, K.M., SN, 965 44 29, USN, AOL since 0730, 3 NOV 57. Made daily inspection of magazines and smokeless powder samples, conditions normal.

W. H. Foote
W. H. FOOTE
ENS USNR

12-16 Moored as before.

R. F. Andino
R. F. ANDINO
ENS USNR

16-20 Moored as before. 1715 Pursuant to orders of the Commanding Officer, HECKATHORNE, A.P. GM3, 553 97 03, USN in charge of one man left the ship to report to Senior Shore Patrol Officer Ne wport, R.I. for TAD.

W. H. Foote
W. H. FOOTE
ENS USNR

20-24 Moored as before.

W. H. Foote
W. H. FOOTE
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER CDE

U. S. N.

COMMANDING.

Richard F. Andino
RICHARD F. ANDINO

ENS

U. S. N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP.

(Day)

(Date)

(Month)

19

ADDITIONAL REMARKS

• •

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U.S.N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD629)SUNDAY
(Day)17
(Date)NOV
(Month)19 57

ADDITIONAL REMARKS

00-04 Moored port side to USS PURDY (DD734) with standard mooring lines, plus an 8 inch line to the pier forward, in a nest of five ships in Berth #145 at Pier #1, Newport, R.I. From port to starboard ships are USS HYMAN (DD732), USS BEATTY (DD756), USS BRISTOL (DD857), PURDY and ABBOT. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). 0225 The shore patrol detail with HECKATHORNE, A.P. GM3, 553 97 03, USN, in charge returned to the ship having completed TAD.

W.H. Foote
W.H. FOOTE
ENS. USNR

04-08 Moored as before.

W.H. Foote
W.H. FOOTE
ENS. USNR

08-12 Moored as before. 0800 Mustered the crew on station. Absentees: WATERS, K.M., SN, 965 44 29, AOL since 3 NOV 57. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 1035 Set storm condition three(3).

R.F. Andino
R. F. ANDINO
ENS. USNR

12-16 Moored as before.

R.F. Andino
R.F. ANDINO
ENS. USNR

16-20 Moored as before.

R.F. Andino
R.F. ANDINO
ENS. USNR

20-24 Moored as before.

R.F. Andino
R.F. ANDINO
ENS. USNR

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U.S.N.

COMMANDING.

R.F. Andino
R.F. ANDINO ENS.

U.S.N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABDOT (DD-629) ZONE DESCRIPTION +5 DATE 18 NOV 19 57
AT/PASSAGE FROM NEWPORT R.I. TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	255	7	4	CLR	30.20	53	48	—	—	—	—	255	1
02	255	7	4	CLR	30.20	53	48	—	—	—	—	255	1
03	255	7	4	CLR	30.22	52	48	—	—	—	—	255	1
04	040	10	6	CLR	30.22	52	48	—	—	—	—	040	1
05	040	10	6	CLR	30.22	51	46	—	—	—	—	040	1
06	040	10	6	CLR	30.24	53	46	—	—	—	—	040	1
07	040	10	6	OVC	30.24	50	51	—	—	—	—	040	1
08	040	4	8	OVC	30.24	50	47	8	1600	CU	64	040	1
09	025	4	8	OVC	30.24	50	47	8	1600	CU	64	025	1
10	025	10	8	OVC	30.23	49	46	8	1600	CU	64	025	1
11	040	10	8	OVC	30.21	51	48	9	1600	CU	64	040	1
12	040	10	8	OVC	30.20	51	48	10	1600	CU	64	040	1
13	050	10	8	OVC	30.18	52	50	10	1600	SC	64	050	1
14	050	8	8	OVC	30.16	52	50	8	1600	SC	64	050	1
15	060	8	8	OVC	30.16	52	50	10	1500	AC	64	060	1
16	060	8	8	OVC	30.16	55	53	10	1500	AC	64	060	1
17	050	8	8	OVC	30.16	55	53	10	1500	AC	64	050	1
18	050	8	8	OVC	30.15	58	57	10	1500	AC	64	050	1
19	050	8	8	OVC	30.14	58	57	8	1500	AC	64	050	1
20	050	6	8	OVC	30.14	55	53	8	1600	SC	64	050	1
21	050	6	8	OVC	30.13	55	53	8	1600	SC	64	050	1
22	050	6	8	OVC	30.12	55	53	10	1600	SC	64	050	1
23	050	6	8	RA	30.10	55	54	7	1000	NS	64	050	1
24	050	6	8	OVC	30.12	55	54	7	1000	NS	64	050	1

POSITION	ZONE	TIME
0800		
L <u>In port</u>		BY _____
1200		
L <u>40° 52' N</u>		BY <u>1200</u>
λ <u>71° 20.5' W</u>		BY <u>1200</u>
2000		
L <u>40° 45.5' N</u>		BY <u>1930</u>
λ <u>71° 20.5' W</u>		BY <u>1930</u>

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM <u>0800</u>	<u>18 NOV</u>
(LZT)	(Date)
TO <u>1200</u>	<u>18 NOV</u>
(LZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L <u>40° 52.5' N</u>	
MID. λ <u>71° 25.3' W</u>	

CURRENT DATA	
FROM <u>1200</u>	<u>18 NOV</u>
(LZT)	(Date)
TO <u>2000</u>	<u>18 NOV</u>
(LZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L <u>40° 48' N</u>	
MID. λ <u>71° 22.5' W</u>	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GCT	Total Cloud Amt (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp (°F)	CLOUDS					
		Occ- tant (1-7) (GCT)	Latitude (0-3, 5-8) (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (00-36) (True)	Speed (True) (Knots)		Present	Past			Amount of C _L Clouds (Coded)	Type C _L (0-9)	Height C _L (Coded)	Type C _M (0-9)	Type C _H (0-9)	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
		Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM <u>2000</u>	<u>18 NOV</u>
(LZT)	(Date)
TO <u>0800</u>	<u>19 NOV</u>
(LZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L <u>40° 40' N</u>	
MID. λ <u>71° 24.5' W</u>	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
95

FUEL CONSUMED
0000-2400
113.29

EXAMINED

R.F. Andino U. S. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD629)MONDAY
(Day)18
(Date)NOV
(Month)19 57

ADDITIONAL REMARKS

00-04 Moored port side to USS PURDY (DD734) with standard mooring lines, plus an 8 inch line to the pier forward in a nest of five ships in berth #145 at Pier #1 Newport R.I. From port to starboard ships in the nest are USS HYMAN (DD732) USS BEATTY (DD756) USS BRISTOL (DD857) USS PURDY (DD734) and ABBOT. Ships present include variojs units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is COMDESLANT in USS YOKEMITE (AD19).

R.F. Andino
R.F. ANDINO
Ens. USNR

04-08 Moored as before. 0600 Commenced preparations for getting underway. 0617 The Shore Patrol detail with SPATZ, H.W., 281 86 06, SO3, USN, in charge returned to the ship having completed TAD. 0640 In accordance with verbal order of CO., USS CASCADE (AD16) LT. J.J. PENDERGAST, USNR, 550567, and LT., E.M. CULLEN, USNR, 497627, reported on board for temporary duty in connection with reserve training cruises. 0705 USS NAWMAN (DE416) moored alongside to starboard. 0715 Set materail condition BRAVO. 0730 Mustered the crew at quarters. Absentees: WATERS, K.M. 965 44 29, SN USN, AOL since 0730 3 NOV 57, and ERNI, G.A., 808 98 92, BM2, USN, AOL since 0700 18 NOV 57. 0740 Set the special sea detail. 0745 In accordance with orders of the COMMANDING OFFICER, LTJG J.P. BURKE, USN 545 55 56, left the ship to report to Senior Shore Patrol Officer Newport, R.I. for TAD. 0750 Completed all preparations for getting underway. Draft: 17 feet 9" Aft, 16 feet 3" forward.

W.H. Foote
W.H. FOOTE
Ens; USNR

08-12 Moored as before. 0801 Underway for Narragansett Bay Operation Area, in accordance with NavPorCo Newport's operation schedule 47-57. Maneuvering to clear the pier. 0807 Steering various courses at various speeds to conform to channel whole leaving Narragansett Bay. 0834 Passed Brenton Reef lightship abeam to starboard; set course 180, speed 15 knots. Secured the special sea detail. 0838 c/s to 10 knots. 0846 Went to General Quarters for gunnery exercises (non-firing). Set material condition Able. 0926 c/c to 120, c/s to 20kts. 0939 Set material condition BAKER. 1000 Commenced steering various courses to unmask toe Air Defense battery while conducting AA gunnery exercise Z-2-6. 1004 Changed base course to 180. 1045 changed base course to 270. 1123 Secure from General Quarters. 1126 c/s to 10kts. c/c to 210. 1130 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 1155 c/c to 180.

F.X. Dowd
F.X. DOWD
LTJG USN

12-16 Steaming as before. 1201 Commenced circling to the right with right 5 degree rudder. 1234 Set condition 1 ASW. c/c to 180. 1305 USS BECUNA (SS319) on station ready to commence exercise bearing 270, range 4,000yds. 1306 Sub submerged. Commenced steering various courses at 15kts to conduct ASW exercise. Single ship attacks. USS HUNT standing by to conduct duel ship attacks.

F.X. Dowd
F.X. DOWD
LTJG USN

16-20 Steaming as before. 1702 Secured form 1 ASW. 1705 c/s to 10 kts. 1711 c/c to 090 1713 c/c to 000. Commenced steering courses at 10 kts to keep in western half area 34 NARABAYOPAREA.

F.X. Dowd
F.X. DOWD
LTJG USN

20-24 Steaming as before. 2054 c/c to 180. 2213 c/c to 000. 2332 c/c to 180.

J.S. Thurneysen
J.S. THURNEYSEN
ENS. USN

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U. S. N.

COMMANDING.

R.F. Andino
R.F. ANDINO Ens.

U. S. N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD-629) ZONE DESCRIPTION T-5A DATE 19 NOV 19 57
AT/PASSAGE FROM NEWPORT R.I. TO NAMPA OPEREA

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	110	9	10	RAIN	30.44	58	57	0	0	0	64	110	1
02	110	9	10	OVC	30.44	58	57	0	0	0	64	110	1
03	110	9	10	OVC	30.44	58	57	0	0	0	64	110	1
04	130	9	8	RAIN	30.44	58	57	10	1000	CU	64	130	1
05	130	9	8	RAIN	30.44	58	57	10	1000	CU	64	130	1
06	180	10	8	RAIN	30.44	58	57	10	1000	CU	64	180	1
07	180	10	8	FOG	30.44	58	57	10	1000	CU	65	180	1
08	170	9	9	FOG	29.90	58	57	10	1000	CU	65	180	1
09	210	9	10	FOG	29.90	60	58	10	1000	CU	64	170	1
10	210	15	0	FOG	29.88	61	60	10	0	NS	64	210	2
11	210	15	2	FOG	29.88	60	58	10	0	NS	64	210	2
12	210	15	7	FOG	29.88	62	61	10	0	NS	64	210	2
13	210	12	7	FOG	29.88	62	61	10	0	NS	64	210	2
14	210	12	7	FOG	29.88	62	61	10	0	NS	64	210	2
15	260	12	7	FOG	29.88	62	61	10	0	NS	64	260	2
16	260	12	7	FOG	29.88	62	61	10	0	NS	64	260	3
17	220	12	7	FOG	29.88	63	62	10	0	NS	64	220	3
18	220	12	7	FOG	29.88	63	62	10	0	NS	64	220	3
19	220	12	7	OVC	29.89	62	60	10	0	NS	64	220	2
20	220	12	5	FOG	29.88	62	60	10	0	NS	64	220	2
21	220	12	5	FOG	29.88	61	60	10	0	NS	64	220	2
22	210	12	5	FOG	29.88	61	60	10	0	NS	64	210	2
23	210	12	5	FOG	29.88	61	60	10	0	NS	64	210	2
24	210	12	5	FOG	29.88	61	60	10	0	NS	64	210	2

POSITION	ZONE	TIME
0800		
L <u>40° 45.3' N</u>		BY <u>0730</u>
λ <u>71° 28.3' W</u>		BY <u>0730</u>
1200		
L <u>40° 39.4' N</u>		BY <u>1200</u>
λ <u>69° 54.5' W</u>		BY <u>1200</u>
2000		
L <u>40° 48.2' N</u>		BY <u>2000</u>
λ <u>67° 59.3' W</u>		BY <u>2000</u>

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM <u>0800</u> <u>19 NOV.</u>	(LZT) (Date)
TO <u>1200</u> <u>19 NOV.</u>	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L <u>40° 37.3' N</u>	
MID. λ <u>70° 40' W</u>	

CURRENT DATA	
FROM <u>1200</u> <u>19 NOV.</u>	(LZT) (Date)
TO <u>2000</u> <u>19 NOV.</u>	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L <u>40° 33' N</u>	
MID. λ <u>68° 56' W</u>	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Occ- tant	Latitude	Longitude			Baro- meter Cor- rected (mb)	Present		Past	Amount of C _L Clouds (0-9)	Type C _L (0-9)		Height C _L Clouds (0-9)	Type C _M (0-9)	Type C _H (0-9)		
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(GCT)	(Coated)			(00-36)				(True)				(Knots)	(90-99)
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM <u>2000</u> <u>19 NOV.</u>	(LZT) (Date)
TO <u>0800</u> <u>20 NOV.</u>	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L <u>40° 39' N</u>	
MID. λ <u>68° 20.5' W</u>	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	C ₂	K	D ₁	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
318

FUEL CONSUMED
0000-2400
21158

EXAMINED

R. J. Ardino Eve

U. S. NAVY NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD 629)Tuesday 19 November, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Operating independently in Easter Half Narragansett Bay Op Area 34 on various courses at 10 knots IAW NAVPORTCO NPT OP sked 47-57. U.S.S. HUNT (DD674) and U.S.S. BELUNA (SS319) operating in the Western half area 34. SOPA and OTC is COMDESDIV 102 embarked ABBOT. Conditions of readiness 5 and material condition BAKER are set. 0030 c/c to 000. 0125 c/c to 180. 0220 c/c to 000. 0258 c/c to 180. 0314 c/c to 160.

F. X. Dowd
F. X. DOWD, LTJG, USN

04-08 Steaming as before. 0430 c/c to 180. 0530 c/c to 000. 0610 c/s to 20 knots. 0612 c/c to 225. 0630 Commenced providing services to U.S.S. BECUNA (SS319), c/c to 180, c/s to 16 kts. 0635 Commenced steaming zig zag courses. 0730 Services completed c/c to 320, c/s to 10 kts.

J. J. Flynn
J. J. FLYNN
ENS USNR

08-12 Steaming as before. 0800 Mustered the crew on stations. Absentees: WATERS, Kenneth M., 965 44 29, SN, AOL since 0730 3 NOV 1957. 0830 Set condition 1 ASW. Manuvering at various courses and speeds while conducting ASW maneuvers in company with U.S.S. HUNT and U.S.S. BECUNA (SS319) in operation area 34. 1100 Secured from 1 ASW maneuvers. 1105 c/c to 095 c/s to 27 knots in Formation 1. HUNT 1000 yards astern. 1110 Made daily tests of magazines and smokeless powder samples. Conditions Normal.

K.G.S. Rider
K.G.S. RIDER
ENS USNR

12-16 Steaming as before. 1430 c/c to 068. 1540 c/s 25 knots. 1545 c/s to 15 knots. Joined U.S.S. PETERSON (DE152) 1 AW COMDESLANT MSG 191433Z.

K.G.S. Rider
K.G.S. RIDER
ENS USNR

16-20 Steaming as before. 1552 c/c to 160. 1558 c/c to 240. 1603 c/c to 160. 1607 c/s to 12 knots. In line abreast from North to South in following order: PETERSON, ABBOT, HUNT. 1613 c/c to 090. 1632 c/c to 180. PETERSON approaching ABBOT for light line transfer. HUNT L/G. 1657 Transfer complete. 1702 c/c to 090. 1717 c/s to 15 kts. 1727 c/c to 120 to avoid surface contact. 1732 c/c to 090. 1830 c/s to 10 knots. Dropped BT. 1845 c/s to 15 knots. 1930 Commenced search turns. 1935 c/c to 000. 1955 c/c to 270.

J. J. Flynn
J. J. FLYNN
ENS USNR

20-24 Steaming as before. 2310 c/c to 180. 2353 c/s to 10 knots.

K.G.S. Rider
K.G.S. RIDER
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR, U.S.N.

COMMANDING.

R. F. Andino
R. F. ANDINO, ENS,

U.S.N. R. NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABDOT (DD-629) ZONE DESCRIPTION +5N DATE 20 NOV 19 57AT/PASSAGE FROM NEWPORT, RI TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	170	14	7	OVC	29.76	66	65	10	2000	CUST	—	—	—
02	170	14	7	OVC	29.76	66	65	10	2000	CUST	—	—	—
03	170	14	7	OVC	29.76	66	65	10	2000	CUST	—	—	—
04	170	14	7	OVC	29.76	66	65	10	2000	CUST	—	—	—
05	170	14	7	OVC	29.76	66	65	10	2000	CUST	—	—	—
06	170	14	5	RAIN	29.76	65	63	10	2000	CUST	—	—	—
07	170	14	5	OVC	29.76	65	63	10	2000	CUST	—	—	—
08	170	14	5	RAIN	29.76	63	63	10	2000	CUST	—	—	—
09	180	14	4	RAIN	29.76	63	62	10	2000	CUST	—	—	—
10	180	14	4	RAIN	29.76	62	61	10	2000	CUST	—	—	—
11	180	14	5	RAIN	29.76	62	61	10	2000	CUST	—	—	—
12	180	14	5	RAIN	29.76	62	61	10	2000	CUST	—	—	—
13	310	10	14	OVC	29.72	55	55	14	1600	ST	—	—	—
14	280	10	14	OVC	29.74	57	56	14	1600	ST	—	—	—
15	210	9	14	OVC	29.78	57	56	14	1600	ST	—	—	—
16	220	10	14	OVC	29.78	61	60	10	1000	ST	—	—	—
17	220	10	14	OVC	29.78	61	60	10	1000	ST	—	—	—
18	220	10	14	OVC	29.78	62	60	10	1000	ST	—	—	—
19	220	15	10	OVC	29.92	52	50	10	1000	ST	—	—	—
20	220	15	10	OVC	29.92	57	53	10	1000	ST	—	—	—
21	220	15	10	OVC	29.92	57	52	10	1000	ST	—	—	—
22	220	15	10	OVC	29.92	57	52	10	1000	ST	—	—	—
23	220	15	10	OVC	29.92	57	52	10	1000	ST	—	—	—
24	250	15	10	OVC	29.85	57	52	10	1000	ST	—	—	—

POSITION	ZONE	TIME
0800		
L <u>40° 29.7' N</u>		BY <u>0754</u>
λ <u>68° 41.2' W</u>		BY <u>0754</u>
1200		
L <u>40° 39.8' N</u>		BY <u>1152</u>
λ <u>68° 32' W</u>		BY <u>1152</u>
2000		
L <u>40° 30.5' N</u>		BY <u>1945</u>
λ <u>70° 10' W</u>		BY <u>1945</u>

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM 0800 20 Nov.
(LZT) (Date)
TO 1200 20 Nov.
(LZT) (Date)SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L 40° 34.5' N
MID. λ 68° 38' W

CURRENT DATA

FROM 1200 20 Nov.
(LZT) (Date)
TO 2000 20 Nov.
(LZT) (Date)SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L 40° 34.3' N
MID. λ 69° 52' WTABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GCT	Total Cloud Amt (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp (°F)	CLOUDS					
		Oc- tant (1-7) (GCT)	Latitude (0-3, 5-8)	(Degrees and tenths)			(Degrees and tenths)	Direction (True) (00-36)		Speed (True) (Knots)	Present (00-99)			Past (0-9)	Amount of C _L Clouds (Coded)	Type C _L (0-9)	Height C _L Clouds (Coded)	Type C _M (0-9)	Type C _H Clouds (Coded)
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
		Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA

FROM 2000 20 Nov.
(LZT) (Date)
TO 0800 21 Nov.
(LZT) (Date)SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L 40° 35' N
MID. λ 70° 51' W

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400255FUEL CONSUMED
0000-2400141 47

EXAMINED

R. J. Ardino Ens

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)WEDNESDAY 20 NOV, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Steaming in company with USS HUNT (DD674) and USS PETERSON (DE152) operating in vicinity of area 40° 47' N 68° 45' W in accordance with COMDESLANT msg 191433Z in a search line abreast in following order. PETERSON, ABBOT, HUNT, distance 1 mile. Guide is ABBOT, OTC and SOPA is COMDESDIV 102 in ABBOT. On course 180 sp 10 kts. Condition of readiness 4 and material condition BAKER are set. 0010 c/s to 15 knots. 0015 c/c to 190. 0019 c/c to 090.

J. S. Thurneysen
J. S. THURNEYSEN
ENS USN

04-08 Steaming as before. 0413 c/c to 180. 0455 c/c to 270.

F. X. Dowd
F. X. DOWD
LTJG USN

08-12 Steaming as before. 0800 Mustered the crew on stations, absentees: WATERS, K.M. SN, 965 44 29, USN, AOL since 0730, 3 NOV 57. 0817 c/c to 000. 0900 Made daily inspection of magazines and smokeless powder samples, conditions normal. 0918 c/c to 180. 1115 c/c to 090. 1150 c/c to 000.

J. J. Flynn
J. J. FLYNN
ENS USNR

12-16 Steaming as before. 1250 c/c to 270. 1454 c/c to 180. 1502 c/s to 12 knots.

F. X. Dowd
F. X. DOWD
LTJG USN

16-20 Steaming as before. 1704 c/c to 270. 1715 Detached USS PETERSON to proceed on duty assigned. Secured from search. USS HUNT taking station 1000 yards astern. 1720 c/c to 280 c/s to 15 knots. 1800 Passed Nantucket Shoals lightship 10 miles abeam to starboard.

F. X. Dowd
F. X. DOWD
LTJG USN

20-24 Steaming as before. 2355 c/c to 180. 2400 c/s to 10 knots.

J. J. Flynn
J. J. FLYNN
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER

CDR

U. S. N.

COMMANDING.

R. F. Andino
R. F. ANDINO

ENS

U. S. N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19__

ADDITIONAL REMARKS

01-01. Arrived in vicinity of _____ with _____ and _____ at _____
_____ to _____ with _____ and _____ in _____
_____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-02. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-03. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-04. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-05. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-06. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-07. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-08. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-09. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-10. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

01-11. _____ and _____ are _____ and _____ are _____
_____ and _____ are _____ and _____ are _____

RESTRICTED

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5N DATE 21 NOV 19 57
AT/PASSAGE FROM NARRA BAY OPAREAS TO NEWPORT R.I.

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	250	10	10	CM	29.80	57	56	3	2500	CU	64	250	2
02	250	10	10	CM	29.80	57	56	3	2500	CU	64	250	2
03	250	10	10	CM	29.80	57	56	3	2500	CU	64	250	2
04	250	10	8	SCT	30.12	57	56	3	2500	CU	64	250	2
05	250	10	8	SCT	30.11	57	56	3	2500	CU	64	250	2
06	200	10	9	SCT	30.12	58	57	3	2000	CU	64	200	2
07	290	12	10	SCT	30.12	59	58	3	2000	CU	64	290	2
08	250	13	10	SCT	30.18	54	53	3	2000	CU	64	250	2
09	260	13	14	SCT	30.20	54	53	3	2000	CU	64	260	2
10	260	13	14	SCT	30.20	54	53	3	2000	CU	64	260	2
11	250	13	14	SCT	30.18	55	54	3	2000	CU	64	250	2
12	310	15	10	SCT	30.18	55	54	3	2000	CU	64	310	2
13	310	15	10	SCT	30.18	55	54	3	2000	CU	64	310	2
14	310	15	10	SCT	30.18	55	54	3	2000	CU	64	310	2
15	310	15	10	SCT	30.19	55	54	—	—	—	—	—	—
16	190	15	8	CM	30.05	54	54	—	—	—	—	—	—
17	195	8	7	CM	30.04	54	53	—	—	—	—	—	—
18	195	7	6	CM	30.04	53	53	—	—	—	—	—	—
19	195	6	6	CM	30.05	51	51	—	—	—	—	—	—
20	195	6	5	CM	30.25	52	51	—	—	—	—	—	—
21	195	2	5	CM	30.27	51	49	—	—	—	—	—	—
22	195	3	5	CM	30.28	50	49	—	—	—	—	—	—
23	195	3	5	CM	30.30	48	45	—	—	—	—	—	—
24	195	2	5	CM	30.30	48	45	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L <u>40° 40.7' N</u>	BY <u>0800</u>	
λ <u>71° 24.3' W</u>	BY <u>0800</u>	
1200		
L <u>40° 39.5' N</u>	BY <u>1155</u>	
λ <u>71° 17.5' W</u>	BY <u>1155</u>	
2000		
L <u>In port</u>	BY <u></u>	
λ <u>In port</u>	BY <u></u>	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM <u>0800</u> <u>21 NOV</u>	(LZT) (Date)
TO <u>1200</u> <u>21 NOV</u>	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L <u>40° 40' N</u>	
MID. λ <u>71° 20' W</u>	

CURRENT DATA	
FROM <u></u> <u></u>	(LZT) (Date)
TO <u></u> <u></u>	(LZT) (Date)
SET <u>In port</u>	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GCT	Total Cloud Amt (Code)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp (°F)	CLOUDS				
		Oc- tant (1-7) (GCT)	Latitude (0-3, 5-8) (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (00-36) (True)	Speed (Knots) (True)		Present (00-99)	Past (0-9)			Amount of C _L Clouds (Code)	Type C _L (0-9)	Height C _L Clouds (Code)	Type C _M (0-9)	Type C _H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H
									</									

CURRENT DATA	
FROM <u></u> <u></u>	(LZT) (Date)
TO <u></u> <u></u>	(LZT) (Date)
SET <u>In port</u>	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
144

FUEL CONSUMED
0000-2400

EXAMINED

R. J. Ardino Ans

U. S. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD 629)Thursday 21 November, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Steaming in company with U.S.S. HUNT (DD674) enroute to operation area #34. OTC and SOPA is COMDESDIV 102 in U.S.S. ABBOT. Base course is 180, speed 10 knots. Material condition Baker and Condition of readiness 5 are set. In formation 1, standard distance, ABBOT guide. 0240 c/c 270 T. 025 c/c 000.

K.G.S. Rider
K.G.S. RIDER
ENS USNR

04-08 Steaming as before. 0503 c/c to 345, speed 12 knots. 0555 Effected rendezvous with U.S.S. HALE (DD 642); U.S.S. BENHAM (DD 796) and U.S.S. BECUNA (SS 319). c/c to 140. 0607 c/s to 10 knots. 0624 BENHAM came alongside to starboard for personnel transfer. 0637 Transfer completed; BENHAM left starboard side. 0641 c/s to 15 knots.

J. S. Thurneysen
J. S. THURNEYSEN
ENS USN

08-12 Steaming as before. 0644 c/c to 310. 0651 c/c to 289 Proceeding to RDVU with U.S.S. BECUNA (SS319) with U.S.S. HALE (DD642) to conduct ASW exercises. 0705 c/s to 10 knots. Maintaining stations 4,000 yards from HALE. 0717 Mustered the crew on stations; Absentees: None. 0751 Set condition 1 ASW. Commenced dual ship ASW exercises with HALE. 0837 Made daily inspection of magazines and smokeless powder samples; conditions normal/ 1116 Completed ASW exercises. Set course 000, speed 20 to surface sub. 1145 Sub on surface. 1230 c/c to 320. 1240 c/c 000.

F. X. DOWD
F. X. DOWD
LTJG USN

12-16 Steaming as before. 1342 c/c to 322. 1356 c/c to 000. 1424 c/c 006; set the special sea detail. 1425 Passed Breton Reef Lightship abeam to starboard; steering at various courses at 15 knots to conform with channel entering Narragansett Bay. 1506 YTB 128 came alongside to starboard. Maneuvering to make pier at Melville, R.I. 1517 With ship heading about 090 while approaching south face of south dock at Melville, wind and current set the ship on to the pier causing ship to scrape along southwest corner of pier. Damage to ship - Long scratches along port side of hull just below main deck from frame 72 to frame 135. No apparent structural damage. 1520 Moored port side to south face of south dock, Melville, R. I., with standard mooring lines. Ships present include various units of the U.S. Atlantic Fleet and yard craft. SOPA is COMDESLANT in U.S.S. YOSEMITE (AD 19) at Newport, R.I.. Secured the Special Sea Detail.

J. S. Thurneysen
J. S. THURNEYSEN
ENS USN

16-20 Moored as before. 1720 Pursuant to orders of the Commanding Officer, GILLESPIE, P.D., 992 57 76, RM2, in charge of two men, left the ship to report to the Senior Shore Patrol Officer, Newport, R.I., for duty (Temporary Additional).

J. S. Thurneysen
J. S. THURNEYSEN
ENS USN

20-24 Moored as before.

K.G.S. Rider
K.G.S. RIDER
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR U.S.N.

COMMANDING.

R. F. Andino
R. F. ANDINO, ENS,

U.S.N. NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

19__

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ARBOOT (DD 629) ZONE DESCRIPTION 75R DATE 22 NOVEMBER 1957
AT/PASSAGE FROM MELLVILLE R.I. TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	195	4	5	CLR	30.30	48	45	—	—	—	—	—	—
02	195	4	5	CLR	30.30	48	45	—	—	—	—	—	—
03	195	4	5	CLR	30.28	50	48	—	—	—	—	—	—
04	195	8	3	R	30.30	50	49	—	—	—	—	—	—
05	195	8	3	R	30.32	50	48	—	—	—	—	—	—
06	195	8	3	R	30.34	45	45	—	—	—	—	—	—
07	195	8	5	OC	30.32	45	44	10	2000	CJ	—	—	—
08	195	5	7	OC	30.32	46	45	10	2000	CJ	—	—	—
09	195	5	7	OC	30.32	47	46	10	2000	CJ	—	—	—
10	195	7	7	OC	30.30	48	47	10	2000	CJ	—	—	—
11	195	7	7	OC	30.30	49	48	10	2000	CJ	—	—	—
12	195	7	7	CLR	30.30	49	48	—	—	—	—	—	—
13	125	8	7	CLR	30.25	54	54	—	—	—	—	—	—
14	125	8	7	CLR	30.25	52	52	—	—	—	—	—	—
15	125	8	7	CLR	30.25	50	50	—	—	—	—	—	—
16	125	7	7	CLR	30.24	49	50	—	—	—	—	—	—
17	125	7	3	CLR	30.29	50	49	—	—	—	—	—	—
18	125	8	3	CLR	30.29	50	49	—	—	—	—	—	—
19	125	9	3	CLR	30.30	50	49	—	—	—	—	—	—
20	125	9	3	CLR	30.30	50	49	—	—	—	—	—	—
21	125	9	3	CLR	30.30	46	47	—	—	—	—	—	—
22	125	9	3	CLR	30.30	46	45	—	—	—	—	—	—
23	125	9	3	CLR	30.30	44	43	—	—	—	—	—	—
24	125	9	3	CLR	30.30	44	43	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			GCT	Direc- tion		Speed	Present	Past		Baro- meter Cor- rected (mb)	Amount of C _L Clouds (Coded)	Type C _L (0-9)	Height C _L Clouds (Coded)	Type C _M (0-9)
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(00-36)	(True) (Knots)			(00-99)				(00-99)					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

R. J. AndinoEnr U. S. NAVY NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)FRIDAY 22 NOV 57, 19
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to South Face South Dock, Melville, Rhode Island, in a nest of two ships. Ships are from port to starboard USS ABBOT (DD629) and USS HALE (DD642). Moored with standard destroyer mooring lines and taking fresh water from the pier. #2 Boiler and #1 generator are on the line for auxillary steaming. SOPA is COMDESLANT is USS YOSEMITE (AD19). Ships present include various units of the U.S. Atlantic Fleet and local craft.

K G S Rider
K. G. S. RIDER
ENS USNR

04-08 Moored as before.

K G S Rider
K. G. S. RIDER
ENS USNR

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: WATERS, K.M. SN 965 44 29, USN, AOL since 3 NOV 57. 0820 USS HUNT (DD674) moored to the starboard side of the nest. 0840 USS BENHAM (DD796) moored to the starboard side of the nest. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal. Made weekly inspection of groups one and two of magazines sprinkler system. Test satisfactory.

C. W. Morrill
C. W. MORRILL
ENS USNR

12-16 Moored as before.

R. F. Andino
R. F. ANDINO
ENS USNR

16-20 Moored as before.

C. W. Morrill
C. W. MORRILL
ENS USNR

20-24 Moored as before.

C. W. Morrill
C. W. MORRILL
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER CDR

U. S. N.

COMMANDING.

R. F. Andino
R. F. ANDINO

ENS

U. S. N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP

(Day)

(Date)

(Month)

19

ADDITIONAL REMARKS

• •

APPROVED:

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS USS ABDOOT (DD-629) ZONE DESCRIPTION 45A DATE 23 NOVEMBER 19 57AT/PASSAGE FROM MELVILLE R.I. TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	090	5	4	OVC	29.88	46	46	10	2000	ST	—	—	—
02	090	5	4	OVC	29.88	47	46	10	2000	ST	—	—	—
03	090	5	4	OVC	29.88	47	46	10	2000	ST	—	—	—
04	090	15	3	CLD	29.84	49	48	10	1600	ST	—	—	—
05	090	15	3	CLD	29.84	53	52	10	1600	ST	—	—	—
06	090	15	4	CLD	29.84	53	53	10	1600	ST	—	—	—
07	090	12	10	OVC	29.84	53	53	10	1600	ST	—	—	—
08	090	12	10	OVC	29.75	52	52	10	1600	ST	—	—	—
09	090	12	10	OVC	29.75	53	53	10	1600	ST	—	—	—
10	125	15	10	OVC	29.76	54	54	10	1600	ST	—	—	—
11	090	20	10	OVC	29.74	53	53	10	1600	ST	—	—	—
12	125	20	7	OVC	29.76	53	53	10	1600	ST	—	—	—
13	125	20	7	OVC	29.72	53	53	10	1600	ST	—	—	—
14	125	20	10	OVC	29.72	55	54	10	1600	ST	—	—	—
15	125	15	10	OVC	29.74	55	55	10	1600	ST	—	—	—
16	125	10	10	OVC	29.73	54	56	10	1600	ST	—	—	—
17	125	6	10	OVC	29.74	54	49	10	1600	ST	—	—	—
18	125	6	10	OVC	29.74	54	49	10	1600	ST	—	—	—
19	125	6	5	OVC	29.74	54	49	10	1600	ST	—	—	—
20	130	5	4	OVC	29.74	53	47	10	1600	ST	—	—	—
21	130	5	4	OVC	29.74	51	48	10	1600	ST	—	—	—
22	130	5	4	OVC	29.74	51	48	10	1600	ST	—	—	—
23	130	7	4	OVC	29.88	48	46	10	1600	ST	—	—	—
24	130	7	8	CLD	29.91	48	48	10	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			Baro- meter Cor- rected (mb)	Present		Past	Amount of C _L Clouds (Code)	Type C _L (0-9)		Height C _L Clouds (Code)	Type C _M (0-9)	Type C _H (0-9)		
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)														
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GCT	(Code)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(°F)	C _L	C _L	h	C _M	C _H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	C ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

R. J. Andino

U. S. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD629)SATURDAY 23 NOV 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to South face of South Dock, Melville, Rhode Island, in a nest of five ships moored outboard in the following order: ABBOT, USS HALE (DD642), USS HUNT (DD674), USS BENHAM (DD796), AND USS FAIRVIEW (PCR850). Moored using six standard destroyer mooring lines doubled up fore and aft. Receiving fresh water from the pier. Boiler number one and ship's service generator number two are on the line for auxiliary purposes. SOPA Narrabay Subarea is COMDESLANT in the USS YOSEMITE (AD-19). Ships present include various units of the US ATLANTIC FLEET, yard and district craft.

C. W. Morrill
C.W. MORRILL
Ens. USNR

04-08 Moored as before.

C. W. Morrill
C.W. MORRILL
Ens. USNR

08-12 Moored as before 0800 Mustered the crew at quarters Absentees: WATERS., K.M. SN USN, AOL since 0730 3 NOV 57. 1000 Made daily inspection of magazine and smokeless power samples, condition normal.

J. F. Skowroneck
J.F. SKOWRONECK
Ens. USNR

12-16 Moored as before.

J. F. Skowroneck
J.F. SKOWRONECK
Ens. USNR

16-20 Moored as before.

J. F. Skowroneck
J.F. SKOWRONECK
Ens. USNR

20-24 Moored as before.

J. F. Skowroneck
J.F. SKOWRONECK
Ens. USNR

APPROVED:

EXAMINED:

W. W. Deventer
W.W. DEVENTER

U. S. N.

COMMANDING.

R. F. Andino
R.F. ANDINO Ens.

U. S. N. R.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD629)SUNDAY
(Day)24
(Date)NOV
(Month)19 57

ADDITIONAL REMARKS

00-04 Moored port side to south face of south dock, Melville, Rhode Island in a nest of five ships from port to starboard, USS ABBOT, USS HALE (DD642), USS HUNT (DD674), USS BENHAM (DD796), and USS HUNT (DD674), USS BENHAM (DD796), USS FAIRVIEW (PCR 850). Moored using standard mooring lines doubled up for and aft. Receiving fresh water from the pier. SOPA is COMDESLANT in USS YOSEMITE (AD19). Ships present include various units of the U.S. ATLANTIC FLEET plus yard and district craft.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

04-08 Moored as before.

J.J. Flynn
J.J. FLYNN
Ens. USNR

08-12 Moored as before 0800 Mustered the crew on stations. Absentees: WATERS, K.M., 965 44 29, SN AOL since 0730, 3 NOV 57. 0915 Made daily inspection of magazines and smokeless powder samples: conditions normal. 1040 Set storm conditon Three(3). 1045 Energized gyro compass.

J.J. Flynn
J.J. FLYNN
Ens. USNR

12-16 Moored as before. 1230 The shore patrol detail left the shop with SPATZ, H.W. 281 86 06, S03, USN in charge of two. 87

J.J. Flynn
J.J. FLYNN
Ens. USNR

12-16 Moored as before.

R.H. Borneman
R.H. BORNEMAN
Ens. USNR

20-24 Moored as before.

J.F. Skowroneck
J.F. SKOWRONECK
Ens. USNR

APPROVED:

EXAMINED:

W.W. Deventer
W.W. DEVENTER

U.S.N.

COMMANDING.

R.F. Andino
R.F. ANDINO Ens.

U.S.N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Monday 25 NOV 57
(Day) (Date) (Month) 19

ADDITIONAL REMARKS

00-04 Moored port side to South Face of South Dock, Melville, R.I. in a nest of five (5) ships from port to starboard: ABBOT, USS HALE (DD642), USS HUNT (DD674), USS BENHAM (DD796) and USS FAIRVIEW (PCR850). Moored using standard mooring lines doubled up forward and aft. Receiveing fresh water from pier. SOPA is COMDESLANT in USS YOSEMITE (AD19). Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft.

*J. F. Skowronek*J. F. SKOWRONEK
ENS USNR

04-08 Moored as before.

*J. F. Skowronek*J. F. SKOWRONEK
ENS USNR

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: WATERS, K.M. 965 44 29, SN, USN, AOL since 0730, 3 NOV 57, ERNI, Edward A. 808 89 92, EM2, USN, AOL since 0730, 25 NOV 57. 1000 Made daily inspection magazines and smokeless powder samples. Conditions normal.

*R. F. Andino*R. F. ANDINO
ENS USNR

12-16 Moored as before. 1430 Commenced taking on fuel forward from YO 467.

*J. B. Roberts*J. B. ROBERTS
ENS USNR

16-20 Moored as before.

*G. D. Melton*G. D. MELTON
LTJG USN

20-24 Moored as before.

*G. D. Melton*G. D. MELTON
LTJG USN

APPROVED:

EXAMINED:

W. W. Deventer

W. W. DEVENTER

CDR.

U. S. N.

COMMANDING.

R. F. Andino

R. F. ANDION ENS

U. S. N. R.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Tuesday 26 NOV 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to South Face of South Dock, Melville, R.I. in a nest of 5 ships with standard mooring lines plus a brest line from #4 and a wire to pier aft. Ships from port to starboard are ABBOT, USS HALE (DD642), USS HUNT (DD674), USS BENHAM (DD796), and USS FAIRVIEW (PCR 850). Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

C. D. Melton
C. D. MELTON
LTJG USN

04-08 Moored as before.

C. D. Melton
C. D. MELTON
LTJG USN

08-12 Moored as before. 0800 Mustered the crew at quarters.. Absentees: WATERS, K.M., 965 44 29 SN USN unauthorized since 0730, 3 NOV 57; POWERS C.W. 487 57 92, SOSN, USN, unauthorized since 0730, this date. 1000 Made daily inspection of magazines and smokeless powder samples. Condition normal. Change-of-command ceremony of COMDESDIV 102 commenced on the fantail. CAPTAIN A. JACKSON relieves CAPTAIN J. WOODVILLE. 1020 Secured from change of command ceremony.

C. W. Morrill
C. W. MORRILL
ENS USNR

12-16 Moored as before. 1200 SOPA became COMDESFLOT 6 in USS CASCADE (AD 16)

W. H. Foote
W. H. FOOTE
ENS USNR

16-20 Moored as before. 1645 Pursuant to Orders of the Commanding Officer, SHARON, D.T., 444 12 21 FT2, USN in charge of one man left the ship to report to Senior Shore Patrol Officer, Newport, R.I. for TAD. 1830 Set Storm Condition three(3). 1936 SOPA became COMDESLANT in USS YOSEMITE (AD19)

W. H. Foote
W. H. FOOTE
ENS USNR

20-24 Moored as before.

W. H. Foote
W. H. FOOTE
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR

U. S. N.

COMMANDING.

R. F. Andino
R. F. ANDINO, ENS

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19__

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629)ZONE DESCRIPTION +50°DATE 27 NOV19 57AT/PASSAGE FROM MELVILLE RI

TO

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	010	15	8	CLR	30.71	36	33	—	—	—	—	—	—
02	020	15	8	CLR	30.39	30	27	—	—	—	—	—	—
03	020	14	8	CLR	30.39	32	28	—	—	—	—	—	—
04	020	10	8	CLR	30.39	24	23	—	—	—	—	—	—
05	030	10	8	CLR	30.39	27	26	—	—	—	—	—	—
06	030	9	8	CLR	30.42	27	26	—	—	—	—	—	—
07	030	10	10	CLR	30.42	26	26	—	—	—	—	—	—
08	030	10	10	CLR	30.43	26	28	—	—	—	—	—	—
09	030	10	10	CLR	30.42	28	28	—	—	—	—	—	—
10	030	10	10	CLR	30.42	28	29	—	—	—	—	—	—
11	030	10	10	CLR	30.42	29	29	—	—	—	—	—	—
12	030	10	10	CLR	30.42	29	29	—	—	—	—	—	—
13	030	10	12	CLR	30.41	29	28	—	—	—	—	—	—
14	030	11	12	CLR	30.41	44	44	—	—	—	—	—	—
15	245	11	12	CLR	30.41	49	48	—	—	—	—	—	—
16	270	11	12	CLR	30.41	44	43	—	—	—	—	—	—
17	270	11	12	CLR	30.41	44	44	—	—	—	—	—	—
18	280	11	12	CLR	30.41	42	43	—	—	—	—	—	—
19	275	11	12	CLR	30.40	42	42	—	—	—	—	—	—
20	275	11	10	CLR	30.40	42	42	—	—	—	—	—	—
21	275	11	10	CLR	30.40	45	45	—	—	—	—	—	—
22	275	11	10	CLR	30.40	45	46	—	—	—	—	—	—
23	275	11	10	CLR	30.36	47	46	—	—	—	—	—	—
24	275	11	10	CLR	30.31	49	46	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Occ- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected (mb)	Amount of Clouds C _L (Coded)	Type C _L (0-9)	Height C _L Clouds (Coded)	Type C _M (0-9)
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(GCT)	(True) (00-36)			(True) (Knots)			(90-99)	(00-99)					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LZT) (Date)
TO	(LZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	C ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R J Andino

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Wednesday 27 NOV, 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to South Face of South Dock, Melville, R.I. in a nest of 5 ships with standard mooring lines, plus a breast line from #4 and a wire to the pier aft. Ships from port to starboard are ABBOT, USS HALE (DD642), USS HUNT (DD674), USS BENHAM (DD796) and USS FAIRVIEW (PCR 850). Receiving miscellaneous services from the pier. Storm condition three (3) in effect. Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). 0225 The Shore Patrol Detail with SHARON, D.T. 444 12 21, Ft2, USN in charge returned to the ship having completed TAD.

W. H. Foote
W. H. FOOTE
ENS USNR

04-08 Moored as before.

W. H. Foote

08-12 Moored as before. 0800 Mustered the crew at quarters. Absentees: WATERS, K.M. 965 44 29, SN, USN unauthorized since 0730, 3 NOV 57. 1000 Made daily inspection magazines and smokeless powder samples. Conditions normal.

C. W. Morrill
C. W. MORRILL
ENS USNR

12-16 Moored as before. 1215 Storm condition three has been canceled.

J. F. Skowronek
J. F. SKOWRONEK
ENS USNR

16-20 Moored as before.

C. D. Melton
C. D. MELTON
LTJG USN

20-24 Moored as before.

C. D. Melton
C. D. MELTON
LTJG USN

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR
U. S. N. COMMANDING.

R. F. Andino
R. F. ANDINO, ENS
U. S. N. NAVIGATOR.

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

19____

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD-629) ZONE DESCRIPTION +5° DATE 28 NOV 1957
AT/PASSAGE FROM MELVILLE PT TO

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	275	11	10	CH	30.27	54	53	—	—	—	—	—	—
02	275	11	10	CH	30.30	54	53	—	—	—	—	—	—
03	275	11	10	CH	30.29	54	53	—	—	—	—	—	—
04	275	11	10	CH	30.26	54	54	—	—	—	—	—	—
05	275	11	5	CH	30.22	53	54	—	—	—	—	—	—
06	275	14	6	OVC	30.22	53	54	10	2000	ST	—	—	—
07	275	16	10	OVC	30.20	53	54	10	2000	ST	—	—	—
08	270	15	10	OVC	30.20	50	59	8	2000	CU	—	—	—
09	260	20	10	OVC	30.20	55	59	5	2000	CU	—	—	—
10	250	20	16	OVC	30.24	51	54	8	2000	CU	—	—	—
11	240	18	6	OVC	30.10	50	54	9	2000	CU	—	—	—
12	230	14	4	OVC	30.24	50	54	10	2000	ST	—	—	—
13	230	10	4	OVC	30.11	56	54	10	1600	SC	—	—	—
14	230	10	4	OVC	30.11	56	54	10	1600	SC	—	—	—
15	230	10	4	OVC	30.10	56	54	10	1600	SC	—	—	—
16	200	10	3	OVC	30.10	55	54	10	1600	SC	—	—	—
17	215	12	5	OVC	30.11	55	55	8	1600	AS	—	—	—
18	215	20	4	OVC	30.10	56	55	10	1600	NS	—	—	—
19	180	20	4	OVC	30.09	56	55	10	1600	NS	—	—	—
20	180	20	4	OVC	30.09	55	55	10	1600	NS	—	—	—
21	180	20	5	OVC	30.10	55	56	10	1600	NS	—	—	—
22	180	20	5	OVC	30.04	56	55	10	1600	NS	—	—	—
23	180	15	5	OVC	30.04	56	53	10	1600	NS	—	—	—
24	180	15	5	OVC	29.96	55	56	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(LST) (Date)
TO	(LST) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(LST) (Date)
TO	(LST) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GCT	Total Cloud Amt (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp (°F)	CLOUDS					
		Occi- tant (1-7) (GCT)	Latitude (0-3, 5-8) (Degrees and tenths)	Longitude (Degrees and tenths)			Direction (True) (00-36) (True) (Knots)	Speed (True) (Knots)		Present (00-99)	Past (0-9)			Amount of Clouds L (Coded)	Type C (0-9)	Height C Clouds L (Coded)	Type C M (0-9)	Type C H (0-9)	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
		Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(LST) (Date)
TO	(LST) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. J. Andino Enr

U. S. NAVIGATOR

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP USS ABBOT (DD-629)

THURSDAY

28

NOV

1957

(Day)

(Date)

(Month)

ADDITIONAL REMARKS

00-04 Moored port side to south face, south dock Melville, Rhode Island in a nest of five ships moored out-board in the following order: USS ABBOT (DD-629), USS HALE (DD-642) USS HUNT (DD674), USS BENHAM (DD796) and USS FAIRVIEW (PCER-850). Moored using standard destroyer mooring lines, doubled up fore and aft, plus a brest line from # 4 and a wire to the pier from aft. Receiving miscellaneous service from the pier. SOPA is COMDESLANT in USS YOSIMITE (AD-19). Ships present include various units of the U.S. ATLANTIC FLEET plus yard and district craft. Storm Condition III

C. W. Morrill 3^r
C.W. MORRILL III
Ens. USNR

04-08 Moored as before.

C. W. Morrill 3^r
C.W. MORRILL III
Ens. USNR

08-12 Moored as before 0800 Mustered the crew at quarters. Absentees: WATERS, K.M., 965 44 29, SN AOL since 0730, 3 NOV 57. 1000 Made daily inspection of magazines and smokeless power samples: conditions normal.

C. W. Morrill 3^r
C.W. MORRILL III
Ens. USNR

12-16 Moored as before.

C. W. Morrill 3^r
C.W. MORRILL III
Ens. USNR

16-20 Moored as before.

C. W. Morrill 3^r
C.W. MORRILL III

20-24 Moored as before.

C. W. Morrill 3^r
C.W. MORRILL III
Ens. USNR

APPROVED:

EXAMINED:

W. W. Deventer
W.W. DEVENTER

U. S. N.

COMMANDING.

R. F. Andino
R.F. ANDINO, Ens.

U. S. N. R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19__

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY

NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS Abbot (DD 629) ZONE DESCRIPTION +5 DATE 29 Nov. 19 57
AT/PASSAGE FROM Melville R.I. TO _____

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	180	15	5	R	29.91	57.5	57.5	—	—	—	—	—	—
02	180	10	6	CLR	29.87	57.5	57.5	—	—	—	—	—	—
03	180	10	6	CLR	29.87	58	58	—	—	—	—	—	—
04	180	10	6	CLR	29.84	58	58	—	—	—	—	—	—
05	180	10	2	DF	29.82	58	59	—	—	—	—	—	—
06	180	8	1/2	DF	29.81	58	59	—	—	—	—	—	—
07	180	8	1/2	DF	29.80	57	59	—	—	—	—	—	—
08	180	6	1/2	DF	29.80	57	59	—	—	—	—	—	—
09	180	4	1/2	DF	29.76	56	56	—	—	—	—	—	—
10	180	7	1	DF	29.76	57	56	—	—	—	—	—	—
11	180	8	2	DF	29.74	56	56	—	—	—	—	—	—
12	180	8	2	DF	29.70	61	60	—	—	—	—	—	—
13	180	12	7	CLR	29.70	63	60	1	2000	CU	—	—	—
14	180	15	7	CLR	29.70	63	60	7	2000	CU	—	—	—
15	180	12	7	CLR	29.72	63	58	—	—	—	—	—	—
16	180	10	7	CLR	29.74	65	56	—	—	—	—	—	—
17	180	10	5	CLR	29.80	62	58	—	—	—	—	—	—
18	180	8	4	CLR	29.83	63	58	—	—	—	—	—	—
19	180	7	4	CLR	29.83	61	57	—	—	—	—	—	—
20	310	4	5	CLR	29.87	61	57	—	—	—	—	—	—
21	290	3	5	CLR	29.88	59	58	—	—	—	—	—	—
22	290	3	5	CLR	29.88	57	58	—	—	—	—	—	—
23	290	3	5	CLR	29.90	54	55	—	—	—	—	—	—
24	290	3	5	CLR	29.90	54	55	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM _____	(LZT) (Date)
TO _____	(LZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(LZT) (Date)
TO _____	(LZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Occ- tant	Latitude	Longitude			Baro- meter Cor- rected (mb)	Present		Past	Amount of Clouds C _L (Coded)	Type C _L (0-9)		Height C _L Clouds (Coded)	Type C _M (0-9)	Type C _H (0-9)		
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)														
	GCT	(00-36)	(True)	(True)	(90-99)	(00-99)	(0-9)	(°F)	N _h	C _L	h	C _M	C _H					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM _____	(LZT) (Date)
TO _____	(LZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	V _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

R. J. AndinoEna

U. S. N. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Friday 29 NOV, 19 57
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to South Face, South Dock, Melville, Rhode Island, in a nest of five ships moored outboard in the following order: ABBOT, USS HALE (DD642), USS HUNT (DD674), USS BENHAM (DD796) and USS FAIRVIEW (PCGR350). Moored with six standard destroyer mooring lines, doubled up fore and aft, plus a breast line from number four, and a wire to pier aft. SOPA Narrabay Subarea is COMDESLANT in the USS YOSEMITE (AD19). Ships present include various units of the U.S. Atlantic Fleet yard and district craft. 0200 Set Storm Condition three (3).

R. F. Andino
R. F. ANDINO
ENS USNR

04-08 Moored as before.

R. F. Andino
R. F. ANDINO
ENS USNR

08-12 Moored as before. 0800 Mustered crew to quarters. Absentees: WATERS, Kenneth M., 965 44 29 SN, USN since 0730 3 NOV 1957. 1000 Checked conditions of smokeless powder samples and magazines temperature. Conditions normal.

J. F. Skrowronek
J. F. SKROWRONEK
ENS USNR

12-16 Moored as before. 1500 Cancelled Storm Condition Three (3).

R. H. Borneman
R. H. BORNEMAN
ENS USNR

16-20 Moored as before. 1700 Pursuant to the orders of the Commanding Officer, SPATZ, Henry W., 281 86 06, SO3, USN in charge of two men left the ship to report to Senior Shore Patrol Officer, Newport, R.I. for temporary duty.

R. H. Borneman
R. H. BORNEMAN
ENS USNR

20-24 Moored as before.

R. H. Borneman
R. H. BORNEMAN
ENS USNR

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR

U. S. N.

COMMANDING.

R. F. Andino
R. F. ANDINO, ENS

U. S. N. R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

FOR OFFICIAL USE ONLY
NAVPERS-717 (New 1-55)

DECK LOG-WEATHER OBSERVATION SHEET

USS Abbot (DD 629) ZONE DESCRIPTION +5 DATE 30 Nov 19 57
AT/PASSAGE FROM Melville R.I. TO _____

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	290	3	10	CLR	29.90	56	54						
02	290	3	10	CLR	29.87	53	51						
03	290	3	10	CLR	29.87	49	48						
04	245	3	10	CLR	29.92	49	50						
05	245	3	10	CLR	29.90	46	47						
06	245	3	10	CLR	29.90	46	47						
07	125	4	12	CLR	29.90	45	45						
08	120	5	8	OVC	29.88	45	46	10	6500	AS			
09	120	5	8	OVC	29.86	46	47	10	6500	AS			
10	125	10	8	OVC	29.80	48	49	10	6500	AS			
11	135	9	8	OVC	29.74	52	52	10	6500	AS			
12	240	8	4	Rain	29.68	53	53	10	6500	AS			
13	260	8	5	DR	29.62	53	53	10	6500	AS			
14	270	8	5	DR	29.57	54	53	10	6000	AS			
15	270	8	5	R	29.44	54	52	10	1000	NS			
16	200	8	4	R	29.40	54	55	10	1000	NS			
17	220	8	1/2	R	29.40	54	59	10	1000	NS			
18	315	12	1/2	R	29.40	52	55	10	1000	NS			
19	010	20	3	R	29.41	44	45	10	1000	NS			
20	015	20	3	R	29.37	44	45	10	1000	NS			
21	290	20	3	R	29.41	45	47	10	1000	NS			
22	290	20	3	OVC	29.46	46	47	10	1000	NS			
23	290	20	3	OVC	29.47	45	47	10	6500	AS			
24	290	20	3	OVC	29.50	45	47	10	6500	AS			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM _____	(LZT) _____ (Date) _____
TO _____	(LZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(LZT) _____ (Date) _____
TO _____	(LZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			GCT	Direc- tion		Speed	Present	Past		Baro- meter Cor- rected (mb)	Amount of C _L Clouds (Coded)	Type C _L (0-9)	Height C _L Clouds (Coded)	Type C _M (0-9)
	(1-7) (GCT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM _____	(LZT) _____ (Date) _____
TO _____	(LZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air ° F	Dew Point ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	C ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. J. Andino Ena

U. S. NAVIGATOR

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP USS ABBOT (DD629)Saturday 30 NOV 1957
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-04 Moored port side to South Face, South Dock, Melville, Rhode Island in a nest of five ships moored outboard in the following order: ABBOT, USS HALE (DD642), USS HUNT (DD674), USS BENHAM (DD 796), and USS FAIRVIEW (PCGR850). Moored with six standard destroyer mooring lines doubled up fore and aft, plus a breast line from number four, and a wire to pier aft. SOPA is COMDESLANT in the USS YOSEMITE (AD19). Ships present include various units of the U.S. Atlantic Fleet plus yard and district craft.

R. H. Borneman
R. H. BORNEMAN
ENS USNR

04-08 Moored as before. 0623 The Shore Patrol Detail with SPATZ, H.W., 281 86 06, SO3, USN in charge returned to the ship having completed temporary duty.

R. H. Borneman
R. H. BORNEMAN
ENS USNR

08-12 Moored as before. 0800 Mustered the crew on station: Absentees: WATERS K.M., 965 44 29, SN, USN; AOL since 0730, 3 NOV 57.

C. D. Melton
C. D. MELTON
LTJG USN

12-16 Moored as before.

C. D. Melton
C. D. MELTON
LTJG USN

16-20 Moored as before.

C. D. Melton
C. D. MELTON
LTJG USN

20-24 Moored as before.

C. D. Melton
C. D. MELTON
LTJG USN

APPROVED:

EXAMINED:

W. W. Deventer
W. W. DEVENTER, CDR

U. S. N.

COMMANDING.

R. F. Andino
R. F. ANDINO, ENS

U. S. N.

R

NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

RESTRICTED

PAGE _____

NAVPERS 135 (REV. 1-51)

DECK LOG—ADDITIONAL REMARKS SHEET

RESTRICTED

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19__

ADDITIONAL REMARKS

APPROVED: _____

EXAMINED: _____

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR.

RESTRICTED

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH